

# GUARDIAN FALL PROTECTION

# **2018 PRODUCT CATALOG**



# LETTER FROM THE PRESIDENT

We are pleased to present the Guardian Fall Protection 2018 full-line catalog. In the years since our previous full-line catalog there have been many changes at Guardian Fall Protection, and I am pleased to be one of them. It has been just over two years since coming on board at Guardian and what a couple of years it has been! With the addition of new products and expanding our sales force throughout the United States and Canada, there has never been a more exciting time to be part of the fall protection industry. Our new catalog reflects this new era, and reaffirms our dedication to providing the finest fall protection products on the market.

We like to think of this catalog as not just a product catalog, but as an informational resource to be used time and time again to help solve the daily challenges of working at height. Nearly every page contains valuable information regarding application and best-use practices that will help you determine which fall protection solution fits a specific situation.

Most importantly, on behalf of the entire Guardian team, I want to thank you for your business and for being part of the Guardian family. We look forward to serving you for all your fall protection needs. Should you have questions about any of the products or services in the catalog, please do not hesitate to contact us.

Sincerely,


Phil Williams President totalalung

# CONTENTS

















FULL-BODY HARNESSES	PAGE 4
SELF-RETRACTING LIFELINES	PAGE 20
LANYARDS	PAGE 35
ANCHOR POINTS	PAGE 50
GUARDRAILS	PAGE 78
HORIZONTAL LIFELINES	PAGE 92
VERTICAL LIFELINES	PAGE 99
SAFETY KITS	PAGE 105
LADDERS	PAGE 110
NETTING	PAGE 116
CONFINED SPACE & RESCUE	PAGE 121
JOBSITE EQUIPMENT	PAGE 131
ACCESSORIES	PAGE 147



# **FULL-BODY HARNESSES**

Guardian's harness part numbers vary based on product brand, sizing, and buckle configuration. Reference the infographics below to determine your ideal harness size and buckle preference.

### HARNESS SIZING CHART



This sizing chart is for general reference only and may not reflect every individual's measurements. Please call us today and we can provide a safety harness that fits your needs.

### **BUCKLE STYLES**



### PASS-THROUGH (PT)

Connect by passing the male plate through the female plate to create a secure connection.



### TONGUE BUCKLE (TB)

Adjust by pulling a strap through the buckle and locking it in place by connecting the tongue through a grommet on the strap.



### **OUICK-CONNECT**

Connect by clicking the male end into the female end, and disconnect by pushing the release buttons on each side of the buckle.


### **D-RING LOCATIONS**



### **D-RING APPLICATIONS**

	DORSAL	STERNAL	HIP/SIDE	SHOULDER
ARREST				
RESTRAINT				
RESCUE				
WORK POSITIONING				
CLIMBING				

# **VELOCITY HARNESS**



- 5 points of adjustment
- Adjustable dorsal D-ring
- Webbing wear indicator
- Two break-away lanyard keepers
- Protective label cover
- Finished webbing ends
- Impact indicator
- Dorsal D-ring padding

The *Velocity Harness* is our entry level harness, and also, one of our most popular harness models. It is designed to present a clean professional look on the job.

The most unique feature of this harness is its webbing wear indicator, which allows you to easily recognize damage.



# **VELOCITY HARNESS**

### **SURFACETECH WEBBING**

Guardian is always working hard to find new ways of increasing the resistance of our harnesses to contamination, while simultaneously improving their durability and functionality. This is why we are very proud to offer *Surfacetech* technology in many of our webbing-based products.

**Surfacetech** webbing has microscopic peaks and valleys, which function to greatly reduce the surface area that comes in contact with contaminants. **Surfacetech** webbing is especially easy to clean, and is highly resistant to dirt, mold, and other contaminants.





## THE **HAWK** HARNESS

BUCKLE CONFIGURATIONS		
LEGS		
PT		
01754		
01755		

CHEST	LEGS
PT	TB
S-L	01752
XL-2XL	01753




# **SERAPH HARNESS**

### SERAPH


Durable and comfortable, the **Seraph Harness** is perfectly suited for a variety of fall protection applications. It is designed with a back pad, shoulder pads, and improved elasticity in the shoulders. Quick and easy to adjust and with added break-away lanyard keepers, the Seraph Harness will keep you safe all day long.







CHEST	LEGS
	Ho
PT	ТВ
S	11169
M-L	11164
XL-2XL	11166

# CHEST LEGS PT PT M-L 11161 XL-2XL 11163









The integrated roller buckles hold straps firmly in place, while still allowing for easy adjustment.

Stretch points throughout the harness promote superior flexibility and movement.





Side positioning D-rings on construction harnesses are backed with a wear pad and heavy-duty fabric to increase durability.

# **SERAPH HARNESS**



SERAPH

Seraph Construction Harness with Side D-Rings Part # 11173

- 5 points of adjustment
- Adjustable dorsal D-ring
- Two break-away lanyard keepers
- Ergonomic design with extra padding
- Superior flexibility and comfort
- Foam shoulder pads and snap-on back pad reduce fatigue
- Impact indicators



**LEGS** 





XL-2XL

**WITH SIDE D-RINGS** 

CHEST WAIST

M-L 11173 XL-2XL 11171



# **HALO HARNESS**



**Guardian Fall Protection's premium** harness option, the Halo Harness

offers the highest degree of safety.

BUCKLE CONFIGURATIONS

LEGS

481160

481161

481162

CHEST

S-L

M-XL

2XL

- Five points of adjustment Side stretch points
- Adjustable bent aluminum dorsal D-ring
- Two lanyard keepers
- Quick-adjust torso buckles
- Removable leg pads
- Comfort pocket for Cool Packs or Hydrapak®
- Comfortable vest with additional back pad
- Impact indicators
- Powder-coated hardware
- Vinyl cover protects webbing
- Reflective binding for visibility
- Trauma Strap Included (image to the right)

Trauma Strap Part # 10733




CHEST	LEGS
QC	TB
S-L	481460
M-XL	481461
2XL	481462

	LEGS	CHEST	LEGS
	ТВ	QC	QC
	481460	S-L	481360
L	481461	M-XL	481361
	481462	2XL	481362
			679

### WITH SIDE D-RINGS **CHEST LEGS CHEST** LEGS **LEGS CHEST** S-L S-L 482160 482460 482360 M-XL M-XL M-XL 482161 482461 2XL 2XL 2XL 482162 482462 482362

### HALO CONSTRUCTION HARNESS WITH CORDURA®



CHEST	WAIST	LEGS
	34:	
PT	TB	TB
S	49	3060C
M-L	49	3061C
XL-2XI	49	3062C

CHEST	WAIST	LEGS
QC	TB	QC
S	49	3260C
M-L	49	3261C
XL-2XI	49	3262C

Trauma Strap Included (image to the right)

# **HALO HARNESS**



Part # 10733

# **HALO HARNESS**





CHEST	WAIST	LEGS
QC	ТВ	TB
S	1	93190
M-L	1	93191
XL-XX	L 1	93192


### **HALO MONSTER HARNESS**

Ideal for work in highly abrasive and rough environments, the **Halo Monster Harness** is manufactured from highly rugged and durable Monster Webbing.






# **CYCLONE HARNESS**



Ideal for Fall Arrest, Work Positioning, Rescue, and Rope Access applications, the *Cyclone Harness* features Ultra-Flow padding located at the shoulders, back, and legs that helps keep moisture away from the body.

- Five points of adjustment
- Adjustable bent dorsal D-ring
- Powder-coated steel hardware
- Two break-away lanyard keepers
- Unique 'X' back design prevents harness straps from tangling



WITH SIDE D-RINGS

**CHEST** 

S-L

**BUCKLE CONFIGURATIONS** 

**LEGS** 

21077





# **CYCLONE HARNESS**



### CYCLONE CONSTRUCTION HARNESS

Featuring Ultra-Flow padding, the *Cyclone Construction Harness* is designed with a double-grommeted waist belt for the ultimate support.

- Double-grommet waist belt with space for tool bags
- Velcro on waist belt for added comfort and custom fit
- Bent side positioning D-Rings



CHEST	WAIST	LEGS
QC	DOUBLE TB	ТВ
S	2	21029
M-L	2	21030
VI		1001

21032

2XL

CHEST	WAIST	LEGS
QC	DOUBLE TB	QC
S	2	21033
M-L	2	21034
XL	2	21035
2XL	2	21036

CHEST	WAIST	LEGS
<b>10</b>		
PT	DOUBLE TB	ТВ
S	2	1064
M-L	2	1065
XL	2	1066
2XL	2	21067

### **CYCLONE TOWER HARNESS**

Chest and ventral D-rings make this harness ideal for high elevation and wind turbine applications as well as construction, maintenance, rescue, and evacuation.

CHEST	WAIST	LEGS
	<b>10</b>	
QC	COMBO	QC
S-L	2	1082
XL	2	1083

WITH SIDE D-RINGS

# CYCLONE CONSTRUCTION HARNESS WITH REFLECTIVE WEBBING

	CHEST	WAIST	LEGS
	QC	DOUBLE TB	TB
	S	2	1060
	M-L	2	21061
	XL	2	1062
0	2XL	2	1063

# **CONSTRUCTION TUX HARNESS**

The *Construction Tux Harness* is equipped with side D-rings that make it ideal for Work Positioning applications. A long-standing product offering, the *Construction Tux* is designed with a harness sewn into an external vest, which reduces the possibility of tangling or contamination of harness webbing.

- No-tangle body wear system for easy donning
- Leg straps zip into the back of the harness for storage

**BLACK MESH** 

- Dorsal D-ring
- Reflective strips provide enhanced visibility
- Impact indicator

**GREEN MESH** 



MITTI OIDE D'INNOC

All Harnesses / Part numbers featured are PT / PT

CHEST	LEGS
<b>10</b>	<b>10</b>
PT	PT

	100	Sharp and the same of the same	2				
S	02100	S	02200	S	02600	S	02700
М	02110	M	02210	M	02610	M	02710
L	02120	L	02220	L	02620	L	02720
XL	02130	XL	02230	XL	02630	XL	02730
2XL	02140	2XL	02240	2XL	02640	2XL	02740
BROWN D	UCK	BLUE DUC	K	BLACK DU	CK	CAMO DUO	CK
BROWN D	UCK 02205	BLUE DUC	02305	BLACK DU S	CK 02405	CAMO DUO	03010
Marine Street, St.	The second second	N. C.					
S	02205	S	02305	S	02405	M	03010
S M-L	02205 02215	S M	02305 02315	S M	02405 02415	M L	03010 03020



# HIGH-VIS CONSTRUCTION TUX

S	02105
M	02115
L	02125
XL	02135
2XL	02145

### WITH SIDE D-RINGS

- Class II Hi-Vis material
- Coated material resists fading from UV Rays

# FIRE RETARDANT CONSTRUCTION TUX

S	02500		
M	02510		
L	02520		
XL	02530		
2XL	02540		

**RED MESH** 

- 100% cotton flame-resistant Banox FR3 material
- Nomex kevlar blend webbing
- Dielectric D-ring and powder-coated buckles

# **DELUXE TUX HARNESSES**

The **Deluxe Tux Harness** is based on our popular Construction Tux line of harnesses. Designed with Class II Hi-Vis reflective webbing, our Deluxe Tux Harnesses are easy to adjust, and offer several waterproof pockets for electronic devices, such as tablets, smart phones, and radios.

- Expansion zippers for greater comfort
- Waterproof pockets
- Dorsal D-ring
- Reflective strips for increased visibility



### WITH SIDE D-RINGS

ORANGE N	IESH	GREEN ME	SH	BLACK ME	SH
S	02150	S	02160	S	02155
М	02151	М	02161	M	02156
L	02152	L	02162	L	02157
XL	02153	XL	02163	XL	02158
2XL	02154	2XL	02164	2XL	02159

CHEST	LEGS
<b>XE-110</b>	
PT	TB
Deluxe Harnesse featured	es / Part numbers are PT / TB

### UNIVERSAL **KEVLAR HARNESS CROSS-OVER HARNESS** CHEST **LEGS UNIVERSAL** NPH-30 M-L 00900 **LEGS UNIVERSAL** XL 00905 NPH-31 M-L 00920

The *Kevlar Harness* is ideal for work in high-heat environments. It is made with highly durable kevlar webbing and dielectric D-Rings and buckles.

The *Universal Cross-Over Harness* is designed with a front D-ring for Rescue and Work Positioning applications. Its unique design ensures the straps stay on the shoulders during work.

# TRAUMA STRAP

# WHAT HAPPENS AFTER I FALL?



# **SUSPENSION TRAUMA**

Suspension Trauma is a potentially life-threatening condition caused by prolonged suspension in a full-body harness after a fall.

### Symptoms include:

- Poor blood circulation
- Low blood/oxygen levels
- Heart palpitations
- Dizziness/fainting

## **FEATURES:**

- Helps reduce the effects of suspension trauma
- Lightweight and easy to install
- An important part of any rescue plan
- Low profile



The *Trauma Strap* is an indispensable item for anyone working at heights, and helps to mitigate the effects of suspension trauma (which can occur in as little as 15 minutes) in the event of a fall. By allowing the fallen worker to assume a standing position and relieve pressure on the lower extremities, the Trauma Strap allows better blood flow and reduces fatigue. Compatible with all Guardian full-body harnesses, the Trauma Strap is easy to adjust, and it's low profile keeps it out of the way during work.

10733

# HARNESS ACCESSORIES

**ELASTIC KEEPER FOR HARNESS** 

**SHOULDER PADS** 

REPLACEMENT
FLAME RETARDANT (FR) PANELS (QTY 2)

**INSULATED COOL PACK** 

HYDRAPAK DRINK SYSTEM W/ INSULATED TUBE

**CONTRACTOR TOOL BAG SET** 

**CONTRACTOR TOOL BELT** 

**COMFI-FIT BACK PLACARD HARNESS CUSION** 

**G-BACK BACK PAD** 

01803

01185

02001

10830

10834

10842

10845

21149

21150

SHOULDER PADS







\* NOT ALL ACCESSORIES ARE COMPATIBLE WITH ALL HARNESS TYPES. CONTACT GUARDIAN FOR MORE INFORMATION.

### REPLACEMENT TONGUE BUCKLE BELT

FOR CONSTRUCTION HARNESSES


 33"-45"
 20230

 38"-50"
 20231

 43"-55"
 20232

 48"-60"
 20233





# **SELF-RETRACTING LIFELINES**

Guardian has numerous self-retracting lifelines (SRLs), perfectly suited for a wide variety of fall protection applications. Reference the infographics below to determine your ideal SRL. If you have any questions about SRLs, visit www.guardianfall.com or call 1.800.466.6385.

### **SRL CLASSES**

CLASS A: DIABLO 11080

**CLASS B:** VELOCITY 42002

**LEADING EDGE:** HALO 10925

	CLASS A	CLASS B	LEADING EDGE
AVERAGE ARREST FORCE	1,350 LBS.	900 LBS.	N/A
MAX POTENTIAL DECELERATION	24"	54"	54" - 102"
SRL EXAMPLE	C	Q	<u> </u>



ANSI Z359.14-14 establishes three different classes for SRLs. These classes differentiate SRLs based on average arrest force, maximum potential deceleration, and use in LE applications.

### **HOOK TYPES**




### UNDERSTANDING LEADING EDGE ( LE )



Guardian LE SRLs must have a cable lifeline, utilize a shock absorbing device, and be permitted for use in LE work. While the ideal position for any attachment point is overhead, LE retractables play an important role because, frequently, the only viable attachment point is at 21 foot level.

# UNDERSTANDING SRL FALL CLEARANCE

Fall clearance calculation shown based on standing worker falling directly in-line with anchor point. Always consider potential swing fall and other hazards when calculating fall clearance.









**ORIGINAL DESIGN** 





The 6' **Diablo SRL** is compact and lightweight, and its ergonomic housing is shaped to fit right in the palm of your hand. But don't be fooled by the *Diablo's* small size; it is a powerhouse in safety, rated to support workers weighing from 130-420lbs., and designed with a quick-action braking system that will stop a fall in an instant.



The *Diablo* can be used on its own, or teamed up with a second *Diablo* using our triple-locking *Dual SRL Bracket* to make a *Double Diablo*, which allows for 100% tie-off.

**DUAL SRL BRACKET** 

11058



The Dual SRL *Bracket* includes a visual indicator to help assure you that it is fully locked and ready for use, and makes assembling a dual leg SRL quick and simple.













The Diablo Arc Flash SRL is designed for workers exposed to the risk of arc-flash (also known as flashover) or other high-energy applications. An arc flash can occur through incidental contact with an energized source, creating a temporary electrical short that can result in extreme conditions of heat, light/fire, and noise. The Diablo Arc Flash SRL ensures workers remain safely tied-off during these catastrophic events. The web is fully compliant with all ASTM F887 testing procedures and offers the maximum safety as required by the NFPA, as well as applicable ANSI testing standards.







The **Diablo Tie-Back SRL** is designed for use in applications where no anchorage connector is available. To use, simply wrap the SRL lifeline around a compatible structural anchor (such as an I-beam or concrete form), connect the tie-back snap hook to the lifeline, and begin work.







The *Diablo Cable SRL-LE* takes the performance of our popular Diablo web SRL right to the Leading Edge. Its galvanized steel lifeline and inline (dorsal D-ring mounted) shock absorber means it is approved for foot level tie-off or other applications where workers are exposed to Leading Edge conditions. Also available in double Diablo kits to enable 100% tie-off capability.





GUARDIAN

The **Diablo Cable SRL** features a 33' galvanized cable lifeline, ergonomic handle, and swivel steel snap hook. It is available in a standard or LE model and with standard or nylon coating for the lifeline.










The *Diablo Cable Big Block SRL* is available in both 50' and 65' lengths. Rated for use in LE applications, the *Diablo Cable Big Block* is built with lightweight and heavy-duty housing.

- Easy to carry
- High-strength composite cable guide
- Non-corrosive components
- Quick-action braking system
- Reinforced nylon housing




DURABLE, RELIABLE, &BUILT TO LAST. The premier SRL option in the marketplace, Halo Series SRLs can do it all. Whether for LE use, standard use, Fall Arrest, or Fall Restraint, there is a durable and high-performing Halo SRL waiting for you.

# **HALO SRL**





Halo Cable SRL Part # 10910



- Compact design
- Durable aluminum housing
- Stainless steel and non-corrosive components
- Swivel-top and Swivel-hook

HALO

# **HALO SRL-LE**







# 3-WAY SRL-R



The **3-Way Rescue and Retrieval SRL-R** is easy to handle, install, and adjust, and is composed of high-quality machine parts that make it both durable and dependable. Easily transition from SRL mode to Rescue/Retrieval mode in seconds.

# INCED INDICATING SWIVEL STEEL SNAP HOOK, SWIVEL TOP, & CARABINER GALVANIZED CABLE 50' 10974

**USING THE PLUNGER** 



### **SRL MODE:**

PUSHED IN PLUNGER INDICATES SRL MODE



PULL PLUNGER OUT AS SHOWN TO ENGAGE WINCH MODE



**WINCH MODE:** 

PULLED OUT PLUNGER INDICATES WINCH MODE



65' 10981

Compatible with Arc-O-Pod Part # 10530

# **VELOCITY SRL**



**Velocity SRLs** combine the utmost in safety and durability. The 10' cable unit can be mounted either at the anchorage connector or at the harness dorsal D-ring, allowing for increased convenience. Longer units mounted at the anchorage connector offer an increased working radius as well as more flexibility when selecting overhead installation locations.



- Galvanized cable or nylon webbing models available
- Available in a variety of lengths
- Durable and lightweight thermoplastic housing
- Carabiner included

# **SRL ACCESSORIES**



11058

**SHOCK PACK COVER** 

00990

**ARMADILLO - SRL CRADLE** 

00245


**SHOCK ABSORBING EXTENSION LANYARD** 

01205



Comes with optional Shock Pack Cover (shown on right)







# **LANYARDS**

### **LANYARD OPTIONS**

### Internal Shock



Shock absorbing functionality incorporated into entire length of lanyard.

### **External Shock**





Shock absorbing functionality incorporated into integral external shock pack.

### Non-Shock





No shock absorbing functionality.

### **Adjustable**







Adjust to fit length required by job.

### Tie Back







For tying around compatible structural anchor.

### Cable



Ideal for high heat and harsh environments.

### Work Positioning



Used in work positioning applications.

### **Extension**



Offers a variety of benefits. See page 45 for more!

### **HOOK TYPES**



STEEL SNAP HOOK

**ALUMINUM SNAP HOOF** 





STEEL REBAR HOO


ALUMINUM REBAR HOO






TRIPLE LOCK CARIBINER

### **REMEMBER!** WHEN CONNECTING YOUR LANYARD



# UNDERSTANDING LANYARD FALL CLEARENCE

Fall clearance calculation shown based on standing worker falling directly in-line with anchor point. Always consider potential swing fall and other hazards when calculating fall clearance.





# **BIG BOSS LANYARDS**



For workers within the capacity range of 130-310 lbs. the *Big Boss Extended Free Fall Lanyard* can be used in applications with potential free fall up to 12'. For workers between the capacity range of 310-420 lbs., it can be used as a standard shock absorbing lanyard for free falls up to 6'.



# **EXTERNAL SHOCK ABSORBING LANYARDS**

External Shock Absorbing Lanyards are made with 1" polyester webbing and are available with steel snap or steel rebar hooks. These lanyards limit average arresting forces to no more than 900 lbs. within a maximum 48" deceleration distance.

Double leg External Shock Absorbing Lanyards facilitate 100% tie off.





External Shock Lanyard Part # 01214



# INTERNAL SHOCK ABSORBING LANYARDS



The Internal Shock Absorbing Lanyard is comprised of heavy-duty outer polyester webbing with a polyester core specifically designed to reduce the impact forces resulting from a fall. Because the shock absorption is built directly into the lanyard there is no need for an external shock absorber, making the Internal Shock Absorbing Lanyard a particularly lightweight option.

# INTERNAL SHOCK ABSORBING LANYARD SINGLE LEG & DOUBLE LEG INTERNAL SHOCK LANYARDS STEEL SNAP HOOK STEEL REBAR DOUBLE LEG DOUBLE LEG DOUBLE LEG STEEL SNAP HOOK STEEL REBAR ALUMINUM HOOKS 6' 6' 6' 11200 11201 11202 11203 21215

# SURFACETECH LANYARD SINGLE & DOUBLE LEG INTERNAL SHOCK LANYARD STEEL SNAP HOOK DOUBLE LEG STEEL REBAR 6'

11260



**Surfacetech** webbing is especially easy to clean, and is highly resistant to dirt, mold, and other contaminants.

# 4-IN-1 LANYARD











The **4-in-1 Lanyard** is designed for use in a wide variety of applications. This versatile lanyard can be used as an extended free fall lanyard, a harness extension lanyard, a tie-back lanyard, or a dual leg 100% tie-off lanyard.

# **STRETCH LANYARDS**

**Stretch Lanyards** are ideal for working in tight spaces or around machinery where long lanyards can create a hazard. The *Stretch Lanyard*'s ability to contract its length from 6' to 4½' helps reduce the risk of interference with tools or other objects.

Internal Shock Absorbing Stretch Lanyard Part # 01295





#### INTERNAL SHOCK ABSORBING STRETCH LANYARD SINGLE & DOUBLE LEG STRETCH LANYARDS

4½'-6' 4½'-6' 01295

STEEL REBAR DOUBLE LEG


STEEL SNAP HOOK

4½'-6'
01297
01296

**External Shock Absorbing** 

STEEL REBAR

4½'-6'



11902

11900

Stretch Lanyard with Rebar hook
Part # 11902

# **NON-SHOCK ABSORBING LANYARDS**



**DOUBLE LEG** 

STEEL SNAP HOOK

# TRIPLE-LOCK & TIE-BACK LANYARDS



The *Triple Lock Wrap Lanyard* can function as both a standard shock absorbing lanyard, as well as a tie-back lanyard.



**Tie-Back Lanyards** eliminate the need for a separate anchorage connector. The adjustable tie-back point allows for attachment to structural anchors of various sizes.

SINGLE LEG & DOUBLE LEG LANYARDS WITH ADJUSTABLE TIE-BACK


STEEL SNAP HOOK


STEEL SNAP HOOK





# **ADJUSTABLE LANYARDS**







The **Adjustable Lanyard** can be easily adjusted from between 4'-6' in length. It is available with or without an integrated shock absorber.

# **EXTENSION LANYARDS**

**Extension Lanyards** are attached to the harness before use to lower the dorsal D-ring attachment point and are ideal for workers who cannot comfortably reach the D-ring on their harness.





### **CABLE & ROPE LANYARDS**




Cable Lanyards are perfect for use in applications where the potential exists for exposure to high heat, sharp, or abrasive edges. They are available with either snap hooks or rebar hooks, as well as an integrated shock absorbing component.





Coated Cable Lanyards are perfect for use in welding and high-heat applications. They offers a removable, flame-resistant cover over the shock absorber to protect against temperature hazards.









# **ANCHOR POINTS**

Guardian has an anchor point option for nearly any job. Whether working with wood, steel, concrete, and more, Guardian has an anchor that will meet your jobsites needs.

#### **ANCHOR INSTALLATION**

Guardian carries a wide variety of anchor points (over 100 in fact!). Each anchor point is designed for various substrates. Be sure to reference your instructions prior to selecting an anchor to ensure it's the right anchor for the job.









METAL SUBSTRATE


CONCRETE SUBSTRATE

WOOD Substrate

All product instructions available for download on our website!

# **REMEMBER!**WHEN CONNECTING TO AN ANCHOR POINT





The choice of industry professionals for many years, the Beamer 2000+ now features a swivel D-ring and improved adjustablility. Easily sliding along beams, the Beamer 2000+ works with you, not against you.





The **Beamer 2000** is a versatile Fall Arrest anchor designed for use either overhead or at foot level. Suitable for installation on beams, the Beamer 2000 trails behind the user during work, and is quick and easy to install and adjust.

**UP TO** 1.25" FLANGE 3.5"-14" WIDE

**FITS FLANGES** 6"-16" WIDE

ON TOP OR BOTTOM

00103



of the Beamer 2000. It offers a D-ring that both pivots and swivels, adjustment levers at the top of the anchor instead of the side to reduce the likelihood of accidental impact adjusters, and it weighs less.

FITS UP TO 1.25" FLANGE

**FITS FLANGES** 3.5"-14" WIDE

**FOR USE** ON TOP OR BOTTOM

**BEAMER 2000+** 

MADE WITH ALUMINUM. BRONZE MANGANESE, ZINC-PLATED STEEL, & STAINLESS STEEL

00102

FITS UP TO 1.25" FLANGE

**FITS FLANGES** 3.5"-14" WIDE

**FOR USE** ON TOP OR BOTTOM

#### **BEAMER 3000**

MADE WITH ALUMINUM, BRONZE MANGANESE, ZINC-PLATED STEEL. & STAINLESS STEEL


00104

The **Beamer 3000** expands upon the features of the Beamer 2000 by offering two points of adjustment for even greater versatility.





The **Beamer BBC** is a Fall Arrest anchor designed for use on the top or bottom flange of a steel beam. It shares many of the features of its relative, the *Beamer 2000*, but with models available to fit an even wider variety of beam sizes.



Featuring the same high performance and durability of Guardian's other Beamer products, the *Minotaur Beamer* is specially designed for attachment to wider beam flanges.



FITS FLANGES From .25"-1.25" Thick

FITS FLANGES 4"-14" WIDE FOR USE ON TOP OR BOTTOM VERTICAL BEAMER 3000
MADE WITH ALUMINUM, STAINLESS STEEL,
& CHROME-PLATED STEEL

00142

Suitable for installation either vertically or horizontally, the *O-Torque Beamer* clamps to compatibly sized beams to establish a stationary anchor point. Use the *O-Torque* as a standalone anchorage connector, or as an anchor for a horizontal lifeline system.

The **Vertical Beamer 3000** is suitable for installation onto either vertical or horizontal I-beams. The *Vertical Beamer 3000* can be installed by one person without the need for any tools or special equipment, and its durable components allow it to stand up against even the harshest jobsite conditions.



FITS FLANGES Up to .9" Thick

FITS FLANGES 3"-10" WIDE


FOR USE On Bottom Only

BEAMER TROLLY ANCHOR MADE OF STAINLESS STEEL, ALUMINUM, NICKEL-PLATED STEEL, & POLYESTER

00215


The **Beamer Trolly Anchor** is intended for installation to steel beams, and is specially designed with rollers for smooth travel along the beam. The locking toggles allow for easy adjustment and eliminate the risk of accidental clamp slippage.

# **CROSS ARM STRAPS**




# ANCHOR POINTS

# **CABLE ANCHORAGE SLINGS**



Galvanized steel 5/16" diameter *Cable Anchorage Slings* function just like a Cross Arm Strap, and, install by looping around a structural beam or anchorage. Nylon-coated models are also available, which provide even greater durability, as well as help protect the structure from damage.






LENGTH: 2' — 10426


LENGTH: 3' — 10427

LENGTH: 6' — 10428

**The Roller Sling Anchor** installs around a structural anchor and trails behind the user during work.



# **CONCRETE ANCHOR STRAPS**



Guardian offers a wide variety of *Concrete Anchor Straps*. Concrete Anchor Straps install to rebar or other compatible structural anchors, and are then cast in place. When strap is no longer needed, simply cut away and discard.

#### ACE ANCHOR

MADE WITH GALVANIZED STEEL. REQUIRES 3,000 PSI CONCRETE.

15040

The **ACE Anchor** is a cast-in-place anchor designed for installation during the concrete pouring stage of construction.





# **ANCHOR POINTS**

**CB-18** Part # 00657

10681


10683

**CB SCREWS** FOR WOOD

86600

# **CB SERIES ANCHORS**

Pioneered by Guardian Fall Protection, *CB Anchors* are perhaps the most proven fall protection anchors on the market. Intended for permanent installations, *CB Anchors* are designed for installation onto wood, metal, and concrete substrates (fasteners are included for wood and metal applications). *CB Anchors* are composed of durable, galvanized steel, and are an excellent choice for nearly any fall protection application, including for use in combination with a compatible horizontal lifeline system.







**CB SCREWS** FOR METAL

16"X 16" BACKER PLATE FOR CB-12

12"X12" BACKER PLATE FOR CB-18

# **CB SERIES ANCHORS**




**CB-1-W**WELD-ON STEEL ANCHOR POINT.

00610



**BACKER PLATE FOR CB-1-B GALVANIZED** 



# FORGED & PLATE ANCHORS

A straightforward and durable family of D-ring anchorage connectors, **D-bolt Forged Anchors** can be installed on a wide variety of substrates, including wood, steel, and concrete. Ideal options for when anchorage connectors will be needed for long-term use, D-bolt Anchors are designed to stand up to the harsh conditions of construction sites, can be used in any fall protection application,

and are compatible with horizontal lifelines.







#### **D-BOLT FORGED ANCHOR**

BOLT-ON ANCHOR POINT FOR WOOD, STEEL, AND CONCRETE. FASTENER NOT INCLUDED EXCEPT FOR #00374. MADE WITH GALVANIZED STEEL.

1/2"	00370	5/8"	00371
3/4"	00372	9/16"	00373
5/8"	OO374 - MADE WITH STAINLESS STEEL GRADE 410		







D-RING 2 HOLE ANCHOR PLATE STAINLESS STEEL BOLT OR WELD-ON ANCHOR POINT.

# **SWIVEL ANCHORS**

#### **MEGA SWIVEL ANCHOR**

FOR INSTALLATION INTO STEEL OR CONCRETE. IDEAL FOR USE IN HORIZONTAL LIFELINE SYSTEMS.

5K	STEEL	00292
ANCHOR	CONCRETE	00293
5K STAINLESS STEEL	CONCRETE	00288
10K Swivel	CONCRETE	00238
ANCHOR	STEEL	00237
5K SWIVEL ANCHOR FOR WELD ON PUCK		00278
10K SWIVEL ANCHOR FOR WELD ON PUCK		00232



MEGA SWIVEL ANCHOR BACKER PLATE

MEGA SWIVEL WELD-ON PUCK INCLUDES BOLT

**MEGA SWIVEL REPLACEMENT SLEEVE** 

00234

00251

00239

The **MEGA Swivel Anchor** is designed for installation into either steel or concrete, and swivels a full 360° to help reduce the risk for the connecting device to snag or catch on the anchor. Available in either 5K or 10K models.

#### **CONCRETE SWIVEL ANCHOR KIT**

MADE FROM PLATED STEEL & STAINLESS STEEL.
INCLUDES SWIVEL ANCHOR BOLT (PART # 00241)

00242

SWIVEL ANCHOR BOLT HSL-3-B M12/5 SINGLE BOLT

SWIVEL ANCHOR BOLT HSL-3-B M12/5 QTY. 5

SWIVEL ANCHOR BOLT HSL-3-B M12/5 0TY.12

00241

00243

00244

PROPER TORQUE
NOT REACHED

PROPER TORQUE
REACHED

An easy to install concrete anchor point, the *Concrete Swivel Anchor* is manufactured with a specially designed indicating bolt that allows the user to clearly see when the anchor is installed properly.

# REMOVABLE ANCHORS

For use in Combination with Part # 00258 10K Mega Swivel with Bolt and Washer

#### **10K STRAIGHT LOOP INSERT**

MADE WITH STAINLESS STEEL

00233

The 10K Straight Loop Insert is installed during the initial concrete pouring stage of construction, and offers a permanent installation location for Guardian Mega Swivel Anchors and the D-Bolt Forged Anchorage Connector. Plant in the 10K Straight Loop Insert from the beginning of the project, and be ready to attach an anchor and get to work as soon as the concrete is set.





#### **10K MEGA SWIVEL W/ BOLT & WASHER**

MADE WITH STAINLESS STEEL

00258

#### **WIRE HOOK ANCHOR**

MADE WITH STAINLESS STEEL

01860

The **Wire Hook Anchor** is lightweight and easy to install to any compatibly sized structural anchor, and is ideal for workers who transition between many different locations over the course of their day.









1/4" THICK STEEL PLATE, 81/2" CABLE WITH SWIVEL D-RING.

Easy to install

Lightweight& durable

Custom lengths available

4" STEEL PLATE FOR HOLES UP TO 2" DIAMETER

00516

**6" STEEL PLATE FOR HOLES UP TO 3" DIAMETER** 

00517

12" STEEL PLATE FOR HOLES UP TO 6" DIAMETER

00518

We all know that certain jobsites can be difficult when it comes to the installation of anchorage connectors. Overhead anchors can be especially troublesome but with the Drop-Through Anchor customers now have another option. To install, either pre-drill a compatibly sized hole into the floor or walking surface (or simply find an existing hole), pass the anchor cable through the hole, and then move down to the level below, and attach to the anchor. When the job is complete, the anchor can easily be picked up and moved to the next job.

# **REMOVABLE ANCHORS**

#### **G-BOLT ANCHORS**

INSTALL INTO PRE-DRILLED CONCRETE. MADE FROM STEEL, GALVANIZED STEEL, & ALUMINUM.

**5K CONCRETE ANCHOR** 

00235

**10K CONCRETE ANCHOR** 

00236

**5K PRECAST HOLLOW CORE ANCHOR** 

00365

Compress toggle to install or remove





#### **MINING ANCHORS**

IDEAL FOR USE DURING MINING AND TUNNELING WORK. INSERTS DIRECTLY INTO COMPATIBLY SIZED FRICTION ROCK BOLT.

**10K FALL PROTECTION MINING ANCHOR** 

00281






#### **BOLT HOLE ANCHOR**

REUSABLE, GALVANIZED STEEL ANCHOR. SIMPLY SQUEEZE AND RELEASE TO INSTALL/REMOVE. COMPATIBLE WITH HOLE DIAMETERS FROM 34"-13%".

00230

Bolt Hole Anchor Part # 00230





# **GROUND-UP ANCHOR**



# **STANDING SEAM ANCHORS**

#### **STANDING SEAM ROOF CLAMP**

MADE WITH POWDER-COATED & GALVANIZED STEEL. FOR USE WITH SRLS.

00250

- 360° rotation
- Adjustable from 24" to 36"
- Compatible with Guardian SRLs up to 50'
- Use with Adapter (Part # 10975) for SRLs from 50' - 65' in length



53221

• Tie-off ring swivels 360°

STEEL, PERMANENT OR REUSABLE ANCHORAGE.

- Adjusts to fit roof seams from 12"-24"
- Utilizes S5-Clamps
- Compatible with Absorbinator HLL



2-WAY UNIVERSAL STANDING SEAM ROOF CLAMP MADE WITH GALVANIZED STEEL.



- Unique reversible installation accomodates various seam sizes
- Quick and easy to install

# **SCREW-DOWN ANCHORS**



#### SCREW-DOWN METAL ROOF ANCHOR

MADE WITH POWDER-COATED STEEL.
INSTALLS ON WOOD OR METAL SUBSTRATES.

00255

- Rotates 360°
- Compatible with Guardian SRLs up to 50'
- Use with Adapter (Part # 10975) for SRLs from 50' - 65' in length

# 4-WAY PLATE ANCHOR MADE WITH POWDER-COATED STEEL Por installation onto wood, metal (as thin as 24 gauge), and concrete substrates Can be installed on flat roofs, pitched roofs, or vertically onto wall Supports one worker in Fall Arrest, or two workers in Fall Restraint Offers a connection point for work in any direction Ideal for use in HLL systems



Guardian's passion for innovation began way back in 1993 with our very first product, the Skyhook Anchor. The inventor was tasked by an inspector to install a tie-off point for his fall protection equipment, to which he replied, "What am I supposed to connect to, the sky?" Clearly that wasn't an option, so he came up with the next best thing! Designed to fit a wide variety of roof pitches, the Skyhook easily installs at the roof peak to provide a safe and convenient fall protection anchor point.

# **SKYHOOK ANCHORS**

#### **SKYHOOK ANCHOR**

MADE WITH POWDER-COATED STEEL.
INSTALLS TO WOOD OR METAL SUBSTRATES.

FLAT ROOFS	00300
1/12 TO 3/12 ROOF PITCH	00310
4/12 TO 6/12 ROOF PITCH	00320
7/12 TO 9/12 ROOF PITCH	00330
<b>10/12</b> TO <b>12/12</b> ROOF PITCH	00340



#### **SKYMAST**

MADE WITH GALVANIZED STEEL. Anchorage for up to 3 workers.

MADE WITH POWDER-COATED STEEL.

INSTALLS TO WOOD OR METAL SUBSTRATES.

00271



• Fits roof pitches Flat to 12/12

360° swivel D-ring





#### SKYMAST SKYHOOK ROOF ANCHOR

MADE WITH POWDER-COATED STEEL.
USED WITH SKYMAST ANCHOR OR AS STANDALONE ANCHORAGE.

FLAT - 3/12	00315
4/12 - 6/12	00325
7/12 - 9/12	00335
10/12 - 12/12	00345



FOR USE OF SRLS WITH SKYHOOK ANCHORS.

00352

00380

SMALL NEOPRENE SKYHOOK GASKET

**SKYHOOK FLASHING KIT - PRIMER** 

00358

LARGE NEOPRENE SKYHOOK GASKET

00359

**FASTENERS** FOR METAL


00349

**FASTENERS** FOR WOOD

# HITCHCLIP® ANCHORS

Designed by a contractor for contractors, the *HitchClip* anchor is extremely lightweight, and its low profile and multiple color options make it ideal for permanent installation onto residential roofs. This anchor does not require flashing making it easy to install and its offset installation holes prevent damage to the roof truss.







# **HITCHCLIP**MADE WITH POWDER-COATED ALUMINIUM. ONLY WEIGHS 4.4 OZ.

	BLACK	10560
3-PACK	BROWN	10561
	GRAY	10562
	BLACK	10563
CASE PACK Eight 3-packs	BROWN	10564
	GRAY	10565
CONTRACTOR	BLACK	10566
PACK	GRAY	10568
PACK OF 25	RED	10577

# **TEMPER & RIDGE-IT ANCHORS**

#### **TEMPER ANCHORS**

MADE WITH GALVANIZED STEEL. FITS ROOF PITCHES FROM FLAT - 12/12.

#### **TEMPER ANCHOR**

- Easy to install
- Lightweight and durable
- Fasteners included
- · Installs to wood, metal, or concrete
- Offset install holes prevent truss from splitting
- Ability to lay flat
- Superior screened label





# **SNAPPY & TRUSS BOSS ANCHORS**

00711

00710

#### **SNAPPY DISPOSABLE ANCHOR**

MADE WITH STEEL.

8-PACK

**CONTRACTOR PACK -25 ANCHORS** 

- Lightweight and durable
- Fasteners included
- Installs to wood
- Hammer down top after job is done

Snappy
Disposable Anchor
Part # 00711



#### TRUSS BOSS ANCHOR

MADE WITH STEEL

TRUSS BOSS ANCHOR

00432

TRUSS BOSS KIT -ANCHOR, FLASHING, & CAP

00420

- Lightweight and durable
- Can be installed upright or inverted
- Installs to wood

TRUSS BOSS FLASHING KIT -FLASHING WITH CAP

00352

TRUSS BOSS ANCHOR CAP

# **BULL RING & HALO ANCHORS**



- Lightweight and durable
- Compatible with horizontal lifelines
- Fasteners included
- Installs to wood



MADE WITH ZINC PLATED STEEL AND RUBBER. Fits Roof Pitches from Flat - 12/12.




- Flexible rubber connection for ridge cap
- Compatible with horizontal lifelines
- Fasteners included
- Installs to wood or metal



# ANCHOR POINTS

# **NON-PENETRATING ANCHORS**



Railmaster Anchor
Part # 00205

#### RAILMASTER™

MADE WITH ZINC PLATED STEEL

RAILMASTER™ ANCHOR

00205

RAILMASTER™ ANCHOR WITH LANYARD

00200

- Easy to install
- Lightweight and durable
- Attaches to USA #30-175 rails

#### TRENCH BOX ANCHOR


MADE WITH GALVANIZED STEEL. FITS TRENCH WALLS UP TO 10" THICK

TRENCH BOX ANCHOR

15192

TRENCH BOX GUARDRAIL RECIEVER

15193







Trench Box Anchor Part # 15192

> Trench Box Guardrail Reciever Part # 15193

The *Trench Box Anchor System* allows for the installation of guardrails around trenches, as well as functions as a fall protection anchor point. Extremely durable and simple to install, the *Trench Box Anchor System* offers superior versatility.

# **NON-PENETRATING ANCHORS**

#### **GAP ANCHOR**

MADE WITH STAINLESS & POWDER-COATED STEEL. REUSABLE DOOR OR WINDOW GAP ANCHOR.

15176

- Easy to install
- Lightweight and durable
- Retractable cradle swivels 360°
- Installs at base of window or door frame
- Simply attach to D-ring or use with SRL and SRL Cradle (Part # 00380)



Gap Anchor with

Gap Anchor with Swivel Top SRL Cradle Part # 15176 & 00380

#### **ANGEL ANCHOR SYSTEM**

MADE WITH ZINC PLATED STEEL NON-PENETRATING ANCHOR

00260



SRL (PART # 10925) AND SWIVEL TOP (PART # 00380) SOLD SEPERATELY

The **Angel Anchor System** is the ideal solution for a versatile single tie-off point when penetrating the substrate is not an option. Its specially designed 3-piece "spine" makes it easier to transport and assemble, and allows for the anchor to be used on surfaces up to a 5° slope. This anchor is corrosion resistant and supremely durable.

#### **ECOANCHOR**

MADE WITH FIRE-RESISTANT NEOPRENE. Non-Penatrating anchor 30801



The EcoAnchor is a water filled counterweight anchor system. The EcoAnchor has been tested and approved on a wide variety of low slope roofs. The EcoAnchor weighs less than 17 lbs. when empty, 948 lbs. when filled with water and requires no penetrations into the substrate.

# **HYDRAJAWS ANCHOR TESTER**

#### **2000C DELUXE HYDRAJAWS**

ANCHOR TESTING KIT.

15031

The *Hydrajaws System* tests fasteners and anchors. It consists of a mechanical screw arrangement acting through a hydraulic load cell, which measures the load applied to the fixture directly. The resulting load value is then indicated on the dial-type or optional digital gauge.

The tester has a built-in movement indicator scale (50mm standard or 100mm optional) to show "first movement" on the fixing prior to the test load being applied. The tester is supplied as an integral part of the tester kit.





An accessory for the 2000C Deluxe Hydrajaws testing kit, the Guardian Fall Protection **Hydrajaws Adapter** is designed to make load testing possible over gaps in the substrate. It may also be used to perform testing of the CB-12 Anchor.

**WORKS IN COMBINATION WITH 15031** 

# GUARDRAILS



# **GUARDRAILS**

#### **RAIL HEIGHTS**



#### THE FALL PROTECTION HIERARCHY

The Fall Protection Hierarchy should be considered when designing fall protection solutions for both existing and new facilities.



- 1. **Eliminate-** Eliminate the hazard by creating a physical barrier, keeping workers from the fall hazard.
- **2. Fall Prevention-** Isolating or separating the hazard or hazardous work practice from employees or others.
- **3. Fall Restraint-** Securing the worker to an anchorage using a lanyard or lifeline short enough so that it will prevent the person's center of gravity from reaching the fall hazard.
- **4. Fall Arrest-** A system designed to stop a worker after a fall has begun.

#### **G-RAIL POWDER-COATED STEEL GALVANIZED STEEL** G-Rail with QuickSet Baseplate **G-RAIL** Part # 15183 & 15178 POWDER-COATED OR GALVANIZED STEEL GUARDRAILS. 42" X 6' 15183 42" X 8' 15182 42" X 10' 15181 Guardian's freestanding Safety G-Rail is available in lengths of 6', 8', 10', and 12', 15202 42" X 12' and is made from powder-coated and galvanized steel for supreme durability and 15183-GALV 42" X 6' weather resistance. Compatible with both 15182-GALV the QuickSet Multi-Directional Baseplate 42" X 8' and Guardrail Baseplate. 15181-GALV 42" X 10'

#### **OUTRIGGER POST**

MADE OF POWDER-COATED STEEL.
FOR USE WITH GUARDIAN PART #'S 15178 & 15180

15160

The *Outrigger Post* is installed perpendicular to a continuous run and is required at both ends of any interruption in a guardrail system. It can be inconvenient to use a full size guardrail as an outrigger, which makes the Guardian *Outrigger Post* an ideal solution.





#### **COLLAPSIBLE G-RAIL**

POWDER-COATED STEEL GUARDRAIL WITH COLLAPSING RAIL BRACKET.

15189
15190
15191
15202-C

The *Collapsible Guardrail System* is easy to install, and compatible with all Guardian baseplates. The *Collapsible Guardrail System* is designed to collapse in towards the work area to allow entry to/exit from controlled access areas.

# **G-RAIL**



# QUICKSET MULTI-DIRECTIONAL BASEPLATE

MADE WITH POWDER-COATED STEEL.

15178

The **QuickSet Multi-Directional Baseplate** allows the ability to run rails in many directions, and requires no penetration of the substrate. It also offers four toe-board attachment points, and is composed of powder-coated steel.

#### **GUARDRAIL BASEPLATE**

MADE WITH GALVANIZED STEEL.

15180

The *Guardrail Baseplate* is composed of galvanized steel for superior durability and weather resistance, and is designed to reduce potential rooftop stain or rust. It is skid-resistant and requires no rooftop attachment.





#### **TOEBOARD ATTACHMENT**

MADE OF GALVANIZED STEEL.

COMPATIBLE WITH GUARDIAN BASEPLATE # 15180 AND 2" X 4" LUMBER

10"

15184

21 1/4"

15185

GUARDRAIL KNUCKLE
MADE WITH GALVANIZED STEEL.
INSTALLS ONTO CONCRETE, METAL, OR WOOD.

15186



\* FASTENERS NOT INCLUDED

# **SWING GATE**



Establish entry and exit point to a controlled access area with the *Guardrail Safety Swing Gate*.

- Fits up to 2" diameter rails
- Can also be mounted to angle iron
- Adjusts maximum 4" below stated width

#### **GUARDRAIL SAFETY SWING GATE**

MADE WITH DURABLE POWDER-COATED STEEL.

18" **15105**24" **15110** 

27" **15111** 


36" **15112** 



# **SEVEN FUNCTIONS IN ONE** EASY TO USE, HEAVY-DUTY STEEL PARAPET SYSTEM.



**CLAMP DOWN ON SAFETY.** 




















## **ALLIGATOR SYSTEM**

Adjustable Rails: 7'-10'

Adjustable Rails: 4'-7

### ALLIGATOR parapet roof system



**Alligator Cage** 

15167

15161

61076

61075

Alligator Clamp Systems

**6** - SIDE CONNECTION WITH GUSSET

7 - ANGLE CLAMP

# **PARAPET SYSTEMS**

The **Parapet Clamp Guardrail System** is fast and easy to install. Each Parapet Clamp includes a corresponding guardrail post, which is compatible with both 2" X 4" boards or our *Snap-On Metal Rails*. This system can fit any parapet from 10" – 24" in thickness, and an entire system can



PARAPET CLAMP GUARDRAIL SYSTEM

MADE WITH POWDER-COATED STEEL.

15170

- Fits wide range of parapets (minimum 7" high)
- OSHA-compliant guardrail system
- Durable, non-corrosive components
- 8' max spacing
- Easy to install

The **Parapet Anchor System** can be used to accomodate guardrail posts, as a standalone anchor point, or in conjunction with a horizontal lifeline (when installed perpendicular to the parapet only). This anchor system can adjust to fit parapet walls 4" - 20". It also has large,

easy-to-grip adjustment handles for quick set-up.

Please note that this system is not intended for simultaneous Fall Prevention and Fall Arrest use.



# PARAPET ANCHOR FOR GUARDRAILS

MADE WITH GALVANIZED STEEL.

- Adjusts to fit parapet walls between 4" 20" wide
- Can be used as anchor point for Fall Arrest
- OSHA-compliant guardrail system
- Easy to install

# **C-SLAB & RESIDENTIAL SYSTEMS**

#### **C-SLAB GRABBER**


MADE WITH POWDER-COATED STEEL.

15500

- Compatible with wide range of concrete slabs
- OSHA-compliant guardrail system
- Easy to install

The *C-Slab Grabber* is the perfect solution for installing guardrail systems on concrete slabs. It includes an anti-slip grip, a quick-adjust handle, and a back-up safety pin (to prevent accidental detachment). The *C-Slab Grabber* is fast and easy to install, and adjusts to fit concrete slabs up to 36" thick. It is compatible with 2" X 4" and 2" X 6" boards, as well as cable or *Snap-On Metal Rails* (Part # 61074).





#### RESIDENTIAL GUARDRAIL SYSTEM

MADE OF POWDER-COATED STEEL. FITS MULTIPLE ROOF PITCHES.

RESIDENTIAL GUARDRAIL SYSTEM

15173

**RESIDENTIAL GUARDRAIL POST** 

15175

The **Residential Guardrail System** is intended for steep roof pitches ranging from 6/12 to 12/12. This versatile and lightweight system is easy to install and remove, and is compact for convenient storage. Composed of powder-coated steel, it is designed for superior durability and weather resistance.

# **UARDRAILS**

### **WARNING LINES**

# GOOSE WARNING LINE STANCHION

TAITUITUIT

15227

MADE OF ALUMINUM. FOR USE WITH PART # 15231

The **Goose Warning Line Stanchion** features a carrying handle, spring-loaded legs, is 39" tall, and is composed of aluminum.

#### **WARNING FLAG LINE**

105' NYLON LINE. For use with Part #'s 15227, 15225 or 15039 15231

Our *Flag Line* is compatible with the Goose Warning Line Stanchion and Single Warning Line Stanchion, as well as the Permanent Warning Line Mast. Its heavy-duty nylon cord is supremely durable, and its large, heat-sealed flags are spaced every 2' for extra visibility.



#### **WARNING LINE STANCHION**

MADE OF POWDER-COATED STEEL. FOR USE WITH PART # 15231 15225

The *Warning Line Stanchion* is specially designed for use with a reusable warning line. 39" tall and composed of powder-coated steel, the *Warning Line Stanchion* is easy to set-up and convenient to break down and carry.





#### STAMPED STEEL WARNING FLAG

MADE OF POWDER-COATED STEEL.
FOR USE WITH COATED CABLE PART # 01401

15038

5/32" VINYL-COATED WIRE ROPE - CUT TO ORDER

01401

#### **WARNING LINE POST**

MADE OF POWDER-COATED STEEL. For use with guardian part #'s 15178 & 15180

# **POSTS & SNAP-ON RAILS**



#### **UNIVERSAL GUARDRAIL POST**

POWDER-COATED STEEL GUARDRAIL.

**52" POST** 

61133

65" POST

61135

**74" POST** 

61136

Our lightweight welded steel *Universal* Guardrail Posts are designed to work with our variety of guardrail mounting options.



Compatible with our Universal Guardrail Posts, the **Snap-On Metal Rail** eliminates the need to use 2" X 4" boards to function as guardrails. Zinc-plated for superior weather resistance, the Snap-On Metal Rail is both lightweight and reusable, and locks on to guardrail posts to eliminate all risk of accidental detachment.

#### **SNAP-ON METAL RAIL**

MADE OF ZINC-PLATED STEEL.

10' SNAP-ON METAL RAIL

61074

**ADJUSTABLE** SNAP-ON METAL RAIL

4' - 7'

61075


7' - 10'




# **STACKER BRACKET®**

The **Stacker Bracket System** is used to install a safe working surface on either the exterior or interior of a building. Utilizing top clamps, hanger brackets, frames, end rails, and toeboard attachments, this system can be used in place of more traditional scaffolding equipment. Compatible with 2" X 4" boards and *Snap-on Metal Rails*.


# STACKER BRACKET SYSTEM MADE OF POWDER-COATED STEEL. STACKER BRACKET END RAIL STACKER BRACKET FRAME 61129 TOEBOARD ATTACHMENT 61142





**Stacker Bracket Top Clamps** are manufactured in a variety of sizes to fit rails of various widths, and are composed of powder-coated steel for superior durability and weather resistance.

- Attaches to Stacker Bracket Frame
- Eye bolt brings bracket flush to outside wall
- Backup safety mechanism with Grade 5 bolt and pin



# **GUARDRAIL RECEIVERS**

#### **GUARDRAIL RECEIVERS**

MADE OF POWDER-COATED STEEL. REUSABLE RECIEVER.

**GUARDRAIL POST RECEIVER** 

15158

2" X 4" RECEIVER

61029

**Guardrail Receivers** may be installed on wood, metal, and concrete substrates, and are composed of powder-coated steel for superior durability and weather resistance.









#### **GUARDRAIL STAIR MOUNTS**

MADE OF POWDER-COATED STEEL. REUSABLE STAIR MOUNTS.

**GUARDRAIL POST STAIR MOUNT** 

61140

2" X 4" STAIR MOUNT

61141

**Stair Mounts** are the ideal solution for the installation of guardrails on unfinished stair cases. Composed of powder-coated steel, *Stair Mounts* are suitable for installation onto both wood and concrete substrates.

# **GUARDRAIL RECEIVERS**

#### **GUARDRAIL ANGEL BOOT**

MADE OF HIGH STRENGTH PLASTIC.
REUSABLE BOOT WITH TOEBOARD SLOT.

15188

The *Guardrail Angel Boot* is used in the assembly of a wooden guardrail system.

Use two 2" X 4" boards to assemble the vertical member, and additional 2" X 4" boards for railings.





#### **GUARDRAIL GUSSET**

NADE OF GALVANIZED STEEL. REUSABLE GUARDRAIL GUSSET.

5 34" GUSSET

15159

9 1/4" GUSSET

61027

**Guardrail Gussets** are simple to install with either screws or nails, and allow for guardrail systems to be installed flush with outside walls. Compatible with all Guardian *Universal Guardrail Posts*.

#### FRICTION FIT BRACKET

MADE OF ZINC-PLATED STEEL.
COMPATIBLE WITH UNIVERSAL GUARDRAIL POSTS.

15026

The *Friction Fit Bracket* is specially designed to adjust and securely fit onto fascia boards. This bracket is supremely durable, and may be used in combination with all Guardian *Universal Guardrail Posts*.






#### HORIZONTAL I IFFI INFS

# **HORIZONTAL LIFELINES**

Horizontal lifelines (HLLs) provide an anchor point that can span long distances, and allow for multiple workers to attach simultaneously. Made from either cable or rope, HLLs are a great option for nearly any type of construction work.

#### **UNDERSTANDING SPANS**



#### **LIFELINE MATERIALS**



#### CABLE

Ideal for permanent installation applications, cable lifelines are extremely resistant to damage.



#### **POLYESTER**


Polyester lifelines are manufactured with integral shock absorbing functionality and superior strength.



#### KERNMANTLE

The most durable and flexible rope offered by Guardian, with a dual-layer design to resist damage.

# **REMEMBER!**WHEN CALCULATING FALL CLEARANCE



# BEAMGUARDTM & BRIDGE GUARDTM

Suitable for loading in any direction, the **Beamguard System**, can be installed onto structural beams of a variety of sizes. Requiring no special equipment, the Beamguard can be installed and adjusted with basic hand tools.



#### **BEAMGUARD SYSTEM**

MADE OF POWDER-COATED STEEL. HORIZONTAL LIFELINE POST OR ANCHOR.

BEAMGUARD **STANDARD** THICKNESS LIP TO 1 25": WIDTH 4" - 13 75'


THICKNESS, UP TO 1.25"; WIDTH 4" - 13.75"

BEAMGUARD INTERMEDIATE THICKNESS, UP TO 2.125"; WIDTH 4" - 19.75'

BEAMGUARD LARGE THICKNESS, UP TO 3.375"; WIDTH 4" - 31.75" 04700

04701

04702



Suitable for upright or inverted installation

 Can be used as an individual anchor point when not used with an HLL



Beamguard

Part # 04710

Pass-Through Top

#### **BEAMGUARD PASS-THROUGH TOP**

MADE OF POWDER-COATED STEEL. BOLTS ON TO BEAMGUARD POSTS. 04710

The **Beamguard Pass-Through Top** attachment allows for continuous connection even when transitioning between lifeline spans.

BRIDGE GUARD 2-WAY TOPPER

00352

BRIDGE GUARD™ 4-WAY TOPPER

00358



The **Bridge Guard** is designed foruse in bridge-building, precast concrete, and leading edge structural concrete applications, and allows for quick and easy on-site installation of horizontal lifeline systems.

#### **BRIDGE GUARD SYSTEM**

MADE OF ALUMINUM. PERMANENT HORIZONTAL LIFELINE SYSTEM.

75" POST WITH 2-WAY TOPPER

04725


75" POST WITH 4-WAY TOPPER

04726

90" POST - INTERMEDIATE POST

04727





Includes: 82' polyester horizontal lifeline, Rope Tensioner, 4 O-Rings, & SOS Bag

# **BIG BOSS HLL**

#### **BIG BOSS HLL KIT**

MADE OF POWDER-COATED STEEL & POLYESTER. 82' Horizontal Lifeline, for up to four Users. 30800

The *Big Boss HLL Kit* is a temporary, reusable lifeline system that can be used by up to four workers in Fall Arrest applications. It spans a maximum of 82', and includes a rope bag for easy transportation and storage.



#### **BIG BOSS HITCHCLIP® HLL KIT**

MADE OF POWDER-COATED STEEL & POLYESTER. 82' Horizontal Lifeline, for up to two users. 30812

This *Big Boss HitchClip HLL Kit* is quick and easy to install, and allows a maximum two workers to work in Fall Arrest applications. The *HitchClip* anchorage connectors can also act as individual tie-off points when not used in combination with the HLL, making this Big Boss HLL Kit not only supremely functional, but versatile as well.

# BIG BOSS ECOANCHOR HLL KIT

MADE OF POWDER-COATED STEEL & POLYESTER. 82' Horizontal Lifeline. For up to two users. 04634

The *Big Boss EcoAnchor HLL Kit* consists of (2) *EcoAnchors* and (1) *Big Boss HLL System*. The *EcoAnchor* is an industry-leading counterweight anchorage connector that requires no penetration of the substrate. Weighing only 17 lbs. when empty, it fills completely with water within 8 to 10 minutes and then is ready for use. For use by a maximum of two workers in Fall Restraint applications only.


Big Boss EcoAnchor Kit
Includes 2 EcoAnchors & 1 Big Boss HLL System
(Fall Restraint Only)
Part # 04634

# POLYESTER & KERNMANTLE HLL

**Polyester and Kernmantle HLLs** are simple to install temporary systems that span between fixed anchorage points, and provide a safe horizontal anchorage for multiple users to move freely around a work space. These devices are simple to install, easily assembled by one person, and can support a maximum of two workers in Fall Arrest applications.







# **ABSORBINATOR**



The **Absorbinator** is an energy absorbing component of a cable HLL system. It absorbs and reduces impact forces resulting from the energy generated by a fall. One *Absorbinator* is required for HLL systems up to 60' and two *Absorbinators* are required for HLL systems longer than 60'.

#### ABSORBINATOR HLL SYSTEM

MADE OF STAINLESS STEEL & ALUMINUM, FOR APPLICATIONS UNDER 60'.

ABSORBINATOR Bracket	2 SHACKLES, 2 THIMBLES, 1 TURNBUCKLE, 4 FIST GRIPS	15044
	2 SHACKLES, 2 THIMBLES, 2 6' CROSS ARM STRAPS, 4 FIST GRIPS	15070
	2 SHACKLES, 2 THIMBLES, 2 CB-1-B ANCHORS, 4 FIST GRIPS	15071
	2 SHACKLES, 2 THIMBLES, 2 CB-1-W ANCHORS, 4 FIST GRIPS	15072



Absorbinator kits are available with a wide variety of components to accommodate almost any installation. Each kit varies depending on lengths and column mounting options.



#### ABSORBINATOR HLL SYSTEM

MADE OF STAINLESS STEEL & ALUMINUM, FOR APPLICATIONS OVER 60', 100' MAX.

TWO Absorbinator Brackets	3 SHACKLES, 2 THIMBLES, 1 TURNBUCKLE, 4 WIRE CLIPS	15045
	3 SHACKLES, 2 THIMBLES, 4 WIRE CLIPS 2 6' CROSS ARM STRAPS, 1 TURNBUCKLE	15073
	3 SHACKLES, 2 THIMBLES, 4 WIRE CLIPS 2 CB-1-B ANCHORS, 1 TURNBUCKLE	15074
	3 SHACKLES, 2 THIMBLES, 4 WIRE CLIPS 2 CB-1-W ANCHORS, 1 TURNBUCKLE	15075

#### REPLACEMENT ABSORBINATOR

MADE OF STAINLESS STEEL.
INCLUDES ONE ABSORBINATOR & TWO SHACKLES.

15021



#### **WIRE ROPE**

3/8" - CUT-TO-ORDER Galvanized -7x19- Tensile Strength





# **VERTICAL LIFELINES**

Ideal for work in climbing, residential construction, and more, vertical lifelines offer incredible versatility and functionality. Use in combination with either trailing rope/cable grabs or positioning devices.

#### LIFELINE MATERIALS



#### CABLE `

Ideal for permanent installation applications, cable lifelines are extremely resistant to damage.



#### POLYDAC

Polydac Rope is highly resistant to rot or mildew, and offers resistance to most alkalis and solvents.




#### **POLYSTEEL**

Resistant to nearly all water absorption, and will not swell or weaken when wet.

# **REMEMBER!**WHEN CALCULATING FALL CLEARANCE



#### ROPE GRAB VS. POSITIONING DEVICE



Rope Grabs move easily along rope, giving workers two free hands. Locks automatically during falls.

# ROPE POSITIONING DEVICE

Rope Positioning Devices move along rope when squeezed and pulled into position by the worker. Locks automatically during falls.


# POLYSTEEL & POLYDAC ROPE

The 5/8" diameter **PolySteel Rope** is ideal **POLYSTEEL ROPE** for high-moisture environments because it %" POLYSTEEL ROPE WITH THIMBLE EYE ENDS limits water absorption and is highly resistant to ultraviolet light. 25' 20074 100' 20077 150' 20078 200' 20079 300 20080 **POLYSTEEL ROPE** %" POLYSTEEL ROPE WITH INTEGRAL SNAP HOOK END 25' 30' 01330 01335 50' 01340 75' 01350 100' 01360 150' 01365 200 01345 300'

101

The 3-Strand **Polydac Rope** is one of the strongest conventional ropes available. It is highly resistant to rot and mildew, and has excellent resistance to alkalis and most solvents.







LI KELINESE LI FELINESE

# POLYSTEEL & POLYDAC VLA









# **POSITIONING DEVICE & GRABS**

#### **ROPE POSITIONING DEVICE**

MADE WITH ZINC PLATED STEEL. FITS ROPES FROM  $\frac{1}{2}$ " TO  $\frac{5}{8}$ " In Diameter.

01520

The **Rope Positioning Device** is easy to install and designed to lock automatically in the event of a fall. Simply squeeze the Rope Positioning Device to unlock and move along the rope..



#### **ROPE GRABS**

COMPATIBLE WITH ROPES 1/2" TO 5/8" IN DIAMETER. DESIGNED TO LOCK AUTOMATICALLY IN THE EVENT OF A FALL

220101122 10 200		
ZINC- Plated Steel	ANTIPANIC TRAILING GRAB	01508
	WITH <b>18" Ext. Lanyard</b>	01500
	3' EXT. WITH SHOCK ABSORBER	01503
	WITH <b>SHOCK ABSORBER</b>	01507
STAINLESS STEEL	ANTIPANIC TRAILING GRAB	01509





Rope Anchor Part #01300

#### **ROPE ANCHOR**


01300 MADE WITH ANNODIZED ALUMINUM. STAYS TIGHT WHILE REMAINING SIMPLE TO UNTIE.

The **Rope Anchor** helps in the installation of a vertical lifeline around a structural anchor. Rated to withstand loads up to 5,000 lbs.



# **CABLE LADDER SYSTEM**

The *Cable Ladder System* is intended for permanent installations, and is ideal for locations where workers need to climb to and from a raised location on a regular basis. The Cable Ladder System is available in 100', 200', and 300' lengths, and is extremely durable and weather resistant. Workers simply need to attach their compatible cable grab to the cable running down the center of the ladder, and they are fully protected from falls as they climb.







#### **CABLE LADDER SYSTEM**

MADE OF GALVANIZED STEEL. 3/8" DIAMETER CABLE. EXTREMELY DURABLE & WEATHER RESISTANT.

100' LADDER SYSTEM KIT

04810

200' LADDER SYSTEM KIT

04820

**300'** LADDER SYSTEM KIT

- Sealed anchor head with impact attenuator
- Permanently secured forged eye bolt
- Adjustable clamp brackets
- Permanently swaged cable sleeves



# SAFETY KITS



# **SAFETY KITS**

#### **ABCs OF FALL PROTECTION**

#### If the risk of falling exists, you require the following:

**ANCHOR POINT** 

The Equipment your connector attaches to. Check the worker weight capacity of the anchor!

**BODY WEAR** 

A full-body harness with dorsal (back) D-ring. It is essential to take the time to fit the harness properly!

CONNECTOR

Lanyard, self-retracting lifeline (SRL), or vertical lifeline (VLL). Consider the total available fall clearance when selecting the connecting device!



FALL SAFETY EASY AS A

Our kits are designed to get you more of the components needed to assemble a complete fall safety system.

# Bucket -of-Safe-Tie Harness · Anchor · Lifeline

The simple, all-in-one solution for anyone working on a roof, the Bucket of Safe-Tie is a complete personal fall protection system. A harness, lifeline, and anchor all in a convenient carrying bucket! What could be better?

# **SAFETY KITS**

Built for the roofer, by the roofer, the **Bucket of Safe-Tie** includes everything you need for a complete fall protection system all in one place. It includes a vertical lifeline, full-body harness (size S – L), anchor point(s), and Storage Bucket.







#### **BUCKET OF SAFE-TIE**

5-GALLON BUCKET WITH HARNESS, VERTICAL LIFELINE, ANCHOR POINT & FASTENERS.

VELOCITY HARNESS (S-L) PART# 01700 TEMPER Anchor QTY. 1

SNAPPY ANCHOR QTY. 5 25' **VERTICAL LIFELINE** PART # 01310

50' **VERTICAL LIFELINE** PART # 01320

25' **VERTICAL LIFELINE**PART # 01310

50' **VERTICAL LIFELINE**PART # 01320

00805

00815

00800

00810



#### **LIL' BUCKET OF SAFE-TIE**

1-GALLON BUCKET WITH HARNESS, 6' SINGLE LEG LANYARD, & NYLON BAG

VELOCITY HARNESS
(S-L) PART# 01700


VELOCITY HARNESS (XL-2XL) PART # 01701

6' SINGLE LEG LANYARD PART# 01220

00870



# **SAFETY KITS**



### **AERIAL LIFT KIT**

DIABLO STEEL SNAP SRL, VELOCITY HUV, SMALL ULTRA SACK

DIABLO STEEL SNAP SRL PART# 11016 VELOCITY HUV HARNESS PART# 01703 SMALL ULTRA SACK

50725





### **SACK OF SAFETY**

SOS BACKPACK VERTICAL LIFFLINE ANCHOR POINT & HARNESS.

	SOS BACKPACK, VERTICAL LIFELINE, ANCHOR POINT, & HARNESS.				
		TEMPER Anchor QTY. 1	25' <b>Vertical Lifeline</b>	00725	
	VELOCITY HARNESS (S-L) PART# 01700		50' <b>Vertical Lifeline</b>	00735	
		SNAPPY Anchor QTY. 3	25' <b>Vertical Lifeline</b>	00720	
			50' <b>Vertical Lifeline</b>	00730	
		RIDGE-IT Anchor QTY. 1	25' <b>Vertical Lifeline</b>	00740	
			50' <b>Vertical Lifeline</b>	00745	



# **LADDER SAFETY**

Falls from ladders represent a large percentage of the injuries resulting from falls every year. Through the simple use of ladder safety equipment, climbing ladders can easily be made significantly safer.

### **DID YOU KNOW?**

# TOP 10


Ladders were in the top 10 for most cited OSHA violations this last year!

# **REMEMBER!** OSHA 1926.1053(B)(1)



"When portable ladders are used for access to an upper landing surface, the ladder side rails shall extend at least 3 feet (.9 m) above the upper landing surface to which the ladder is used to gain access."

### THE ULTIMATE IN LADDER SAFETY



# SAFE-T LADDER EXTENSION SYSTEM



The *Safe-T Ladder Extension System* attaches to the top of a ladder to provide a safe and easy transition from the ladder to a raised surface. It requires no tools, drilling, or bolting to install, and is one of the most effective means of improving the safety of nearly any extension ladder. Once installed, it provides two offsetting handrails that offer a point of walk-through to step on or off the ladder. This patented piece of equipment assists workers in complying with OSHA standard 1926.1053(b), which requires ladder rails to extend a minimum of 3' above the working surface.

### SAFE-T LADDER EXTENSION SYSTEM

EASY TO INSTALL POWDER-COATED ALUMINUM LADDER EXTENSION. COMPATIBLE LADDER RAIL DIMENSIONS: WIDTH: 1 34" MAX DEPTH: 3 34" MAX.

SINGLE LADDER EXTENSION

10800

6-PACK LADDER EXTENSION

10804



### **SAFE-T SELF-CLOSING GATE**

MADE OF POWDER-COATED STEEL. Lightweight & Durable Ladder Gate. 10798

The *Safe-T Self-Closing Gate*, designed for use in combination with the *Safe-T Ladder Extension*, is perfect for providing additional protection when climbing off or onto a ladder. It includes a self-closing mechanism, is both lightweight and durable, and is compliant with all applicable OSHA regulations.

# Stop crawling off your ladder. Safely walk through your ladder.



Attaches to the top of nearly any ladder without the use of tools, and provides a safe transition point from ladder to roof. Helps meet OSHA regulation for ladder rails to extend 36" above the roof edge.

# **LADDER STABILITY TOOLS**



**LADDER STABILITY ANCHOR** 


MADE OF ALUMINUM. Includes (2) 4' velcro straps for easy install. 10808

The *Ladder Stability Anchor* functions to clamp to fascia board and then secure to the top rung of a ladder with two 4' long Velcro straps ensuring that the ladder will not fall or move.

### **LADDER ASSIST**

MADE OF GALVANIZED STEEL. Spring-loaded ladder hand support. 15104

The *Ladder Assist* is used to provide additional support for workers who are transitioning from a fixed ladder to a raised working surface. It easily attaches to the top rungs of nearly any fixed ladder, and features a spring-loaded design for easy, one-handed operation. Please note that the *Ladder Assist* is not a Fall Arrest anchor.





Part # 2475





### **BASEMATE® LADDER LEVELER**

LIGHTWEIGHT & COMPACT, TESTED AT 1,200 LBS.
EASILY ATTACHES TO LADDER WITH NO PENETRATION.
IDEAL FOR POSITIONING LADDER ON UNEVEN SURFACES.

2475

### **LADDER RUNG STEP**

MADE OF LIGHTWEIGHT REINFORCED ALUMINUM. Designed to reduce worker fatigue by Expanding the foot support of a worker. 2477

### **CORNER BUDDY LADDER STABILIZER**

MADE OF POWDER-COATED STEEL. LIGHTWEIGHT & WEATHER RESISTANT. CONNECTS TO MOST LADDERS.

**CORNER BUDDY LADDER STABILIZER** 

2470

**CORNER BUDDY HARDWARE KIT** 

2474

114

# **JACKS, DOLLIES, & HOOKS**

The **Ladder Jack** installs over consecutive ladder rungs, can be used on either side of a ladder, and is ideal for painting, siding, and repair applications. This jack is easy to both install and remove, and will accommodate planking up to 18" wide when used in combination with a paired Ladder Jack.



### **LADDER JACKS**

MADE OF ALUMINUM. EASY TO INSTALL.

2-RUNG LADDER JACK 2420


2-RUNG LADDER JACK (PAIR) 2422

3-RUNG LADDER JACK 2430

3-RUNG LADDER JACK (PAIR) 2432



The *Ladder Dolly* is specially designed for use by a single worker, and reduces the carrying weight of ladders by up to 90%. The dolly is compatible with nearly any ladder on the market, and attaches to and secures its load quickly and easily.





NETTING

# **NETTING**

### **NETTING OPTIONS**



**Residential netting** is a great option if insufficient clearance exsists for traditional fall protection.



**Debris netting** protects materials and equipment from falling off of your work surface.

### **NETTING MATERIALS**



### **RESIDENTIAL NETTING**

Fall Arrest rated Residential Netting is a perfect solution when the use of traditional Fall protection is infeasible.



### **DEBRIS NETTING**

Vertical debris netting guards against debris or tools from falling over an unprotected edge.



### PRO-KNIT NETTING

Designed with an even smaller mesh size for more protection against small materials falling over the edge.

### **DID YOU KNOW?**




### **DEBRIS NETTING = GUARDRAIL**

If installed accordingly, **Debris Net<mark>ting</mark>** can double as
your jobsites Fall Prevention!

# **DEBRIS NETTING**

Our **Debris Netting** is designed and manufactured with a specialized double-strand configuration, as well as ultraviolet protective coating, which makes for a supremely durable and long-lasting product. Custom sizes also available.

DEBRIS NETTING  MADE WITH ULTRAVIOLET PROTECTIVE COATING.				
4' X 150' ORANGE NETTING	70001			
4' X 150' BLUE NETTING	70002			
5.5' X 150' ORANGE NETTING	70005			
5.5' X 150' BLUE NETTING	70023			






# PRO-KNIT DEBRIS NETTING MADE WITH ULTRAVIOLET PROTECTIVE COATING. TIGHTER KNIT THAN REGULAR DEBRIS NETTING. 5.5' X 150' PRO-KNIT BLACK NETTING 70009 15' X 150' PRO-KNIT BLACK NETTING 70010



# RESIDENTIAL NETTING


The **Residential Safety Netting** is a four-inch square mesh netting ideal for Fall Arrest applications. This netting incorporates a balanced, knitted construction, with filaments running continuously throughout the netting to enhance strength and durability. It is composed of HTPP fiber, which is highly resistant to abrasion, moisture, and chemicals, and is also incredibly lightweight.





# **OUTRIGGER & SKYLIGHT NETTING**

Horizontal Netting is combination of Fall Arrest and debris netting that extends horizontally away from a building façade to catch falling objects and prevent them from reaching the ground or next lower level. Due to the highly specialized nature of netting installations, Guardian is pleased to offer Horizontal Debris Netting on a custom-order basis only. Please contact your sales representative for more information and current pricing.





### MOBI SKYLIGHT PROTECTION SYSTEM

MADE OF POLYESTER & GALVANIZED STEEL. REUSABLE PROTECTION.

6' 7" × 6' 7" NETTING

70024

9' 10" × 9' 10" NETTING

70025

The *MOBI Skylight Protection System* is designed to prevent falls through skylights to lower levels. Once installed, it can also be used as an anchor point (per OSHA 1926) for Fall Arrest or Fall Restraint by attaching a compatible lanyard or SRL to the MOBI ratchet strap.



# **CONFINED SPACE & RESCUE**

A key component of fall protection is ensuring the prompt rescue of a fallen worker. Sometimes this recue needs to take place in a difficult to access area, making confined space and rescue equipment an important component of any job.

### **COMMON CONFINED SPACE APPLICATIONS**



Many jobs require workers to access narrow or confined spaces. Guardian has all the necessary equipment to keep you safe from falls when performing these tasks.

### REMEMBER! OSHA REQUIRES A FALL PROTECTION PLAN

# 15 MINUTES

Your fall protection plan must account for the 'prompt' rescue of a fallen worker. Workers can suffer from negative effects of suspension trauma intolerance in as little as 15 minutes.

### **WHAT IS SUSPENSION TRAUMA?**



**Symptoms include:** faintness, nausea, breathlessness, dizziness, sweating, paleness, unusually low or high heart rate, hot flashes, unusually low blood pressure, loss of vision.

# ARC-O-POD

The **Arc-O-Pod** is a high quality Rescue and Retrieval system. It is a 90" tall aluminum tripod that is lightweight, portable, and easily set up by just one worker. Its legs can be adjusted in 2" increments to best fit your work area. The Arc-O-Pod can fit a maximum  $5\frac{1}{2}$  diameter hole, and is specially designed to eliminate risk of slippage or movement. It also includes a storage bag for easy transportation between jobsites.

### **ARC-O-POD SYSTEM**

MADE OF ALUMINUM & POWDER-COATED STEEL. KIT INCLUDES: TRIPOD. PULLEY. BRACKET. CHAINS. & ULTRASACK.

ARC-O-POD

15030

**ARC-O-POD KIT** WITH ULTRASACK

15050






MADE OF ALUMINUM & POWDER-COATED STEEL. System includes: Tripod, Pulley, Bracket, Chains, & Ultrasack.

### 3-WAY RESCUE & RETRIEVAL SRL

INDICATING SWIVEL STEEL SNAP HOOK Swivel top & Carabiner



50'
20001
65'

### **ARC-O-POD RESCUE WINCH**

MADE OF GALVANIZED STEEL. 65' PERSONNEL OR MATERIAL HOIST. MAXIMUM CAPACITY: 310 LBS.

**RESCUE WINCH** 

15028

WINCH ADAPTOR

15027

TRIPOD PULLEY-FOR USE WITH ARC-O-POD

3-WAY BRACKET-FOR USE WITH ARC-0-POD & 3-WAY SRL (10974 OR 10981) 15025

10983

# RAPID DEPLOYMENT RESCUE LADDER



The *Rapid Deployment Rescue Ladder* is specially designed to facilitate the rescue of fallen workers at significant heights, and is thus particularly applicable to the wind energy industry. This durable ladder system is manufactured with unique rung standoffs to make footholds easier and self-rescue more likely. It is also capable of supporting up to two workers at once (maximum 310 lbs. each, including all equipment), thereby allowing a rescuer to climb down to assist a fallen worker. The *Rapid Deployment Rescue Ladder* can be deployed within seconds, and is one of the most stable and functional rescue ladders available.

### RAPID DEPLOYMENT RESCUE LADDER KIT

KIT INCLUDES: RESCUE LADDER, 3' CROSS ARM STRAPS, POMPIER HOOKS, & STORAGE BAG. MAXIMUM CAPACITY: 310 LBS.

RESCUE LADDER KIT 12' 15023

RESCUE LADDER KIT 20' 15046

### RAPID DEPLOYMENT RESCUE LADDER

MADE OF ALUMINUM AND STEEL. MAXIMUM CAPACITY: 310 LBS.


RESCUE LADDER 12'

15022

**RESCUE LADDER 20'** 

15047

# **RESCUE LADDER & KIT**



The **Rescue Ladder Kit** facilitates prompt rescue of a fallen worker. Easily installed and deployed in only a few moments, this 18' self-rescue ladder is dropped down to the concious victim. A highly visible, convenient, and weather resistant carrying bag is integrated to the ladder to allow it to be located close to the fall hazard regardless of conditions, thereby making response time faster. Fall protection plans require more than simply contacting emergency services and waiting for help to arrive. The *Rescue Ladder Kit* is an ideal option for ensuring workers are recovered as quickly as possible. Please note that this kit only supports one worker at a time.

# **GOTCHA RESCUE KITS**

As is the case with all rescues, a prompt recovery of the fallen worker is essential. **Gotcha Rescue Kits** work effectively with either conscious or unconscious victims, allow a single rescuer to carry out the rescue from a point of safety, and provide the option of either lowering the fallen worker to the next lowest level, or raising them back up to the nearest point of safety. To perform a rescue, the rescuer must have specific rescue training; consider the series of training classes offered by F.I.R.S.T. Choice Training, a division of Guardian Fall Protection, if additional training is needed.

### **GOTCHA RESCUE KIT**

RESUCE KIT FOR SIMPLE USE & RESCUE AT HEIGHTS.
INCLUDES FREE UNIVERSAL CROSS OVER HARNESS ( PART # NPH-30)

**GOTCHA KIT** (160' ROPE) **53027** 

**GOTCHA KIT** (325' ROPE) **53028** 

**GOTCHA KIT** (490' ROPE) **53029** 

**GOTCHA KIT** (655' ROPE) **53030** 





Not all kits provide equivalent functionality. Contact Guardian with any questions.

# **GOTCHA RESCUE KITS**

### **GOTCHA CONSTANT RATE DESCENT RESCUE KIT**

SUITABLE FOR EVACUATION AND RESCUE RATED FOR 495 LBS

GOTCHA CRD KIT (195' ROPE)

53032

GOTCHA CRD KIT (325' ROPE)

53033

The *Gotcha CRD Rescue Kit* is a constant rate descent device suitable for both rescue and evacuation. It allows for a rescuer to raise or lower the fall victim to the nearest point of safety, or for a single user to descend to safety at a rate controlled by the equipment. No assembly is required by the user.

Rescuers must have specific rescue training; consider training classes offered by F.I.R.S.T.

Choice Training, a division of Guardian Fall Protection.

Guardianfall.com/Training



# **GOTCHA RESCUE KITS**

### **GOTCHA SHARK RESCUE KIT**

SUITABLE FOR RESCUE, RATED FOR 660 LBS, IN NORMAL USE.

**GOTCHA SHARK KIT (215' ROPE)** 

53036

GOTCHA SHARK KIT (325' ROPE)

53037

The **Shark Rescue Kit** is an assisted rescue device that enables a rescuer to cut free a fall victim from their lanyard and lower them to safety. This kit is ready to use and features a blade-free, garrote style cutter, eliminating the need for knives.



### **GOTCHA FIRE & RESCUE KIT**

KIT IS CAPARI F OF LOWERING OR RAISING A SINGLE PERSON.

GOTCHA CRD KIT (195' ROPE)

53034

GOTCHA CRD KIT (325' ROPE)

53035

The *Fire and Rescue Kit* is designed for professionals in the fire and rescue industry. It allows victims to be recovered without the need to cutthem free due to its unique raising and loweringfunctionality, and can be used in numerous applications in combination with a second kit.



# **GOTCHA RESCUE KIT ACCESSORIES**




### **GOTCHA SUSPENSION LOOP**

OPTIONAL ADD-ON TO THE GOTCHA RESCUE KIT

53038

The Gotcha Suspension Loop is an accessory for any rescue system that can help alleviate the effects of prolonged fall suspension.

A supremely compact and lightweight device, the Gotcha Suspension Loop allows a fallen worker to stand up in their harness to relieve pressure from their limbs. The Gotcha Suspension Loop can make the difference between walking away from a fall and being carried away from a fall. It is important to note that this equipment will not be usable by an unconscious victim, and should only be considered as an intermediate measure for use until the victim is rescued.



### **THE GRABBA**

OPTIONAL ADD-ON TO THE GOTCHA RESCUE KIT

53031

The Grabba is an optional add-on to the Gotcha Kit. It enables the rescue of persons suspended from retractable Fall Arrest devices while using rope or wire. The Gotcha Kit should be attached to the Grabba. The Grabba is then mounted on the rope or wire that the victim is suspended from. The Gotcha Kit is then extended so the Grabba slides down the rope or wire to the victim. When it reaches the victim the device locks onto the dorsal D-ring. When pulled upwards the Grabba grabs the wire or rope and a normal Gotcha Kit rescue can now be performed, raising or lowering the casualty to a point of safety.



# RESCUE KITS & ACCESSORIES

### **CHECKMATE RESCUE KIT**

SUITABLE FOR RESCUE

150 SERIES - RATED FOR 330 LBS. IN NORMAL USE. 300 Series - Rated for 660 Lbs. In Normal USE.

150R CRD WITH 195 FT ROPE RESCUE WHEEL FOR MANUAL RESCUE

53120

150R CRD WITH 325 FT ROPE RESCUE WHEEL FOR MANUAL RESCUE

53121

**150PR CRD WITH 195 FT ROPE**POWERED RESCUE WHEEL FOR DRILL ASSISTED RESCUE

53122

150PR CRD WITH 325 FT ROPE - POWERED RESCUE WHEEL FOR DRILL ASSISTED RESCUE

53123

300R CRD WITH 195 FT ROPE RESCUE WHEEL FOR MANUAL RESCUE

53124

300R CRD WITH 325 FT ROPE

----

RESCUE WHEEL FOR MANUAL RESCUE

53125

**300PR CRD WITH 195 FT ROPE** - POWERED RESCUE WHEEL FOR DRILL ASSISTED RESCUE

53126


300PR CRD WITH 325 FT ROPE -

POWERED RESCUE WHEEL FOR DRILL ASSISTED RESCUE

53127



The **Checkmate Rescue Kit** is a kit that is used for rescue from vertical situations on high structures where constant rate lowering and minimal user input is required.





# **JOBSITE EQUIPMENT**

While the majority of *Guardian's* products are designed to keep you safe from falling, Guardian's Qualcraft and Trojan Tools product lines offer a variety of tools and equipment designed to make your life easier and get the job done faster.




A Division of Guardian Fall Protection










# **ALL PRO**

The **ALL PRO Pole** is the industry-standard aluminum scaffolding pole that can be customized to create a scaffold system up to 48' in height. *ALL PRO poles* are safe, strong, and durable, and their quick set up and tear down makes them ideal for the residential contractor.





- 0.140" thick aluminum walls with rib reinforcement
- Metal reinforced rubber surface eliminates distortion
- Spring-loaded pins combine with pole connector to add height up to 48'







# **ULTRA-JACK & ALL PRO**

From pump jacks to poles, workbench systems to anchors and braces, the superior functionality and design of the *ULTRA-Jack* provides professionals with an easy to operate, easy to transport, durable, safe, and reliable aluminum scaffolding system.



**ULTRA-JACK** 

WORKS WITH ALL PRO POLES

2000

- Spring-loaded cam lock for smooth operation and durability
  - Toe straps accommodate large work boots
    Padded hand crank and brake lever for added comfort
    - Highest climbing rate per stroke

### **ALL PRO BRACE**

USED TO SECURE POLES TO THE WORK WALL, AND PROVIDES THE RIGID, TRIANGULAR BRACING AS REQUIRED BY OSHA TO ENSURE A SAFE JOBSITE.

2002

### **ALL PRO WORK BENCH**

IS USED TO TRANSPORT TOOLS AND SUPPLIES UP THE SCAFFOLDING SYSTEM WITH EASE.

2004









### **ALL PRO POLE ANCHOR**

Part # 2002

A SPIKED ANCHOR THAT OFFERS ADDITIONAL SAFETY and security on soft or uneven surfaces. Works with ultra or all pro poles. 2008

Part # 2004

### **ALL PRO POLE BASE**

INCLUDED WITH ALL 24' ULTRA AND ALL PRO POLES, EASILY ATTACHABLE WITH NON-SKID BASE WORKS WELL FOR FLAT AND HARD SURFACES.

2009

### **ALL PRO 6' CONNECTOR**


6' CONNECTOR CAN JOIN ANY TWO POLE LENGTHS, WITH 3' OF OVERLAP IN EACH SECTION. WORKS WITH ULTRA OR ALL PRO BRAND POLES.

2013

### **ALL PRO NET**

DESIGNED TO CATCH TOOLS AND DEBRIS.
MADE OF HIGH DENSITY POLYETHYLENE, AND
MEASURES 21' WIDE BY 4' HIGH.

3000



### **PUMP JACK**

FOOT OPERATED SCAFFOLDING JACK. EASILY RAISE AND LOWER SCAFFOLDING PLATFORM 2200

The **Pump Jack** is designed for use with fabricated wood poles constructed of spliced 2" X 4" boards (up to 30' high) and accommodates two 2" X 10" wood planks with toeboards attached. Foot action does all

the work needed to raise to position, and a hand crank is used to lower back to the ground once work is complete. The positive double-lock system brake ensures safety by securing itself to wood poles.

### **PUMP JACK BRACE**

SECURES WOOD POLES TO BUILDING PROVIDING STABILITY FOR PUMP JACK SCAFFOLDING SYSTEM. 2201


The **Pump Jack Brace** is designed to secure fabricated wood poles to buildings by providing the rigid steel triangular bracing as required by OSHA.

**WORK BENCH /** 

2204

The Workbench / Guardrail Holder is designed for wood staging, and is used in combination with the Pump Jack System. This allows tools and materials to travel alongside the work platform with ease.

# **PUMP JACK**





### **PUMP JACK POLE ANCHOR**

FITS TWO 2"X4" WOOD POLES.
PROVIDES MUDSILL IN LOOSE SOIL CONDITIONS.

2210

### **SIDE WALL STAGING BRACKETS**

STAGING BRACKET IS RATED FOR TWO WORKERS, AND ADDITIONAL 75 LBS. PER 8' SECTION.

2300

### SIDE WALL STAGING BRACKET GUARDRAIL

ALLOWS FOR GUARDRAIL, MID RAIL & TOEBOARD

2301

PUMP JACK HARDWARE KIT

2211

CRANK HANDLE/COTTER PIN-(PUMP JACK REPLACEMENT)

2206





Designed to meet the needs of the most demanding jobsite requirements, *Aluminum Staging Planks* are available with industry recognized, V-style grip handles, and with a unique joinable end configuration.

# **ALUMINUM STAGING PLANKS** -14" WIDE 2-MAN, 750 LBS. RATING. EASY GRIP HAND-STYLE END CAPS.

2-MAN, 750 LBS. RATING. EASY GRIP HAND-STYLE END GAP HEAVY-DUTY RUNG SYSTEM FOR ADDED STRENGTH.

**16' PLANK** WITH 5" DEPTH **2034** 

**20' PLANK** WITH 6" DEPTH **2035** 

24' PLANK WITH 6" DEPTH

2036

### **ALUMINUM STAGING PLANKS** -20" WIDE

2-MAN, 750 LBS. RATING. EASY GRIP HAND-STYLE END CAPS. HEAVY-DUTY RUNG SYSTEM FOR ADDED STRENGTH.

16' PLANK WITH 5" DEPTH

2044

20' PLANK WITH 6" DEPTH

2045

**24' PLANK** WITH **6**" DEPTH

2046

# TWO GREAT OPTIONS TO PUMP IT UP!

# **ULTRA JACK**



WORKS BEST FIALL PROI ALUMINUM POLES but, COMPATIBLE FOTHER BRANDS

Features PLATFORM
ANADJUSTABLE PLATFORM

245 WORK
SURFACE



# **PUMP JACK**





Designed 3 2 X4 WOOD for use with 3 POLES

25X105 WOOD PLANKS for work surface



# **SAWHORSES & WORK TABLES**

The best sawhorse available on the market! Easy to assemble by just one person, the *Trojan Sawhorse* makes any job easier.

- Gripping teeth design requires no screws or nails
- Make a sawhorse any length you want by using any 2"X lumber



## TROJAN SAWHORSE

POWDER-COATED, DURABLE STEEL, FOLDING SAWHORSE LEGS.

STANDARD SAWHORSE -27" TALL

**TS27** 

TALL SAWHORSE -35" TALL

**TS35** 



### JOBSITE Quipment

# ROLLER STAND, DOLLY CARTIN' & DOOR HOLDER

### **ROLLER STAND**

DURABLE, POWDER-COATED STEEL, ADJUSTS FROM 24" - 40" IN HEIGHT.

STANDARD -1" TUBE & 12" ROLLER

**RS12** 

HEAVY-DUTY -11/4" TUBE & 15" ROLLER

**RS15** 

## Roller Stand Part #RS15

The Roller Stand is a perfect "extra hand" to have around when you need to support longer materials beyond your saw or table. With a durable, powder-coated finish, our Roller Stands will not rust or stain wood.



### **DOLLY CARTIN**

ALLOWS EASY TRANSPORTATION OF MDF, SHEETROCK, DOORS. WINDOWS. COUNTER-TOPS. AND MUCH MORE.

DC9

The *Dolly Cartin'* offers quick and easy transportation for doors or other large, awkward to carry paneling. Simply position material between the *Dolly Cartin'* clamp plates, secure, and move to the desired location.

### **DOLLY CARTIN'**-MADE IN USA



ALLOWS EASY TRANSPORTATION OF MDF, SHEETROCK, DOORS, WINDOWS, COUNTER-TOPS, AND MUCH MORE.

DC9-US

- Two, 10" pneumatic wheels for smooth rolling
- Powder-coated finish
- Quickly adjust from 0" 9" wide
- Turn-on-a-dime maneuverability

The **Door Holder** is a simple, stable, and easy to use clamp that facilitates the installation of doors or other materials. An extra pair of hands that will never let you down!

### **DOOR HOLDER**

DURABLE POWDER-COATED STEEL TUBE. Quick set up, compact size for easy storage. DH1

- Holds door panels up to 3" thick
- Great for routing and sanding
- 24" wide base, 10" vertical support

# **QUICK SUPPORT TOOL**

The **Quick Support Tool** provides extra support when working alone, and is designed to support drywall, ceiling panels, fixtures, etc. for proper positioning during installation. This tool supports up to 110 lbs., and is adjustable from  $3\frac{3}{4}$  - 10. The quick support tool can also act as a cargo load stabilizer or used to construct a dust barrier.



SUPPORTS: 88 LBS. LOAD Length: 53"-144" **QS40** 

**QUICK SUPPORT TOOL-10'** 

SUPPORTS: 110 LBS. LOAD Length: 45"-120" **QS50** 















QUICK SUPPORT CARRYING BAG

SPECIFICALLY DESIGNED FOR TRANSPORTING SUPPORTS AND ACCESSORIES. HOLDS UP TO 8 SUPPORTS.

**QS55** 

QUICK SUPPORT ADAPTOR WITH BALL JOINT

**QS52** 

QUICK SUPPORT REPLACEMENT PAD

**QS51** 





**PEEL & STICK ZIPPER** (2 PACK) SIMPLY APPLY TO CLEAN TARP SURFACE, OPEN ZIPPER & CUT THE TARP THE LENGTH OF ZIPPER.

**QS65** 

# WALL JACK, PEE VEE, & MAGNETIC SWEEPER

The Wall Jack is used to raise walls, as well as tighten flooring and decking. Made of heavy-duty cast iron, the Wall Jack rides up and down on a 2"x4" board, working just like a car jack. To lift walls, insert a length of 3/4" pipe (not included) to act as a lever. The Wall Jack has a capacity of 1,000 lbs. with the use of a 2"x4" board.





### WIND HOOK ACCESSORY KIT INCLUDES BASEPLATE AND WIND HOOK CABLE.

COMPLETES WALL LIFTING SYSTEM, USE WITH 2601.

2602

### LITTLE PEE VEE

HELPS EASILY MOVE SILL PLATE ON CONSTRUCTION WALLS AND ASSURE PROPER ALIGNMENT.

2605

### **BIG PEE VEE**

HELPS EASILY MOVE SILL PLATE ON CONSTRUCTION WALLS AND ASSURE PROPER ALIGNMENT.

2610

### ADJUSTABLE WALL BRACE


MADE OF POWDER-COATED STEEL. ADJUSTS FROM 101/2" TO 111/2" WITH FAST THREAD DESIGN, HELPS EASILY BRACE AND ALIGN WALLS.

2620

# **MAGNETIC SWEEPER** SWEEPER PICKS UP FERROUS METAL SUCH AS TOOLS. 2688 BOLTS, AND NAILS. ONE PULL QUICK DEBRIS RELEASE. HANDLE EXTENDS FROM 30" - 441/2"



# **ADJUSTABLE ROOF BRACKETS**



The **Adjustable Wood/Steel Roof Bracket** is made of heavy-duty wood and 15 gauge galvanized steel. It is designed to hold a 12" platform, is adjustable to two positions, and can be easily installed and removed without damaging shingles.



2510

The **Slater Style Roof Bracket** features six position locking adjustments, and is constructed of heavy-duty galvanized steel.


### **SLATER STYLE ROOF BRACKET**

MADE OF HEAVY-DUTY STEEL. 10"ADJUSTABLE PLATFORM. Three Position Tongue. 6 Position Locking Adjustment. 2525

NAILING PLATE For use with slater style bracket part # 2525 2526

# **FIXED ROOF BRACKETS**

The *Fixed Roof Bracket* is durable, easy-to-install and remove, and is designed to protect all roof surfaces. Maximum 8' of spacing between brackets.



- 2502/2505 for use only as slide guard or material support on low slope roofs
- 2501/2504 for use on 12/12 Fixed Pitch Roof

The **PRO-Line Fixed Roof Bracket** is durable, easy-to-install and remove, and is designed to protect all roof surfaces. Maximum 8' of spacing between brackets.

PRO-LINE FIXED ROOF BRACKS MADE WITH POWDER-COATED STEEL.	T
<b>10" X 45</b> °-FITS 2" X 10" PLANK	3501
<b>8" X 90°</b> -FITS 2" X 8" PLANK	3502
<b>8" X 60°</b> -FITS 2" X 8" PLANK	3503
<b>8" X 45</b> °-FITS 2" X 8" PLANK	3504
<b>6" X 90</b> °-FITS 2" X 6" PLANK	3505



- 3503 for use on 18/12 Fixed Pitch Roofs
- 3502/3505 for use only as slide guard or material support on low slope roofs
- 3501/3504 for use on 12/12 Fixed Pitch Roof

# **SHINGLE REMOVERS**



#### JUBSIIE PUPMEN

## **ROOFING KNIVES**

We offer a wide variety of high-quality replaceable-blade knives for any situation. Whether you need a simple fixed blade or specialized roofer's knife, our selection of handles and blades accomodate any worker, any job.

#### **ANGLE KNIFE**

RETRACTABLE ERGONOMIC KNIFE. TOOL-LESS BLADE CHANGE. THREE POSITION SLIDER. REFILL WITH BLADES 3619 OR 3620.

15051



#### **NON-RETRACTABLE KNIFE**

MADE WITH TEXTURED SURFACE FOR BETTER GRIP. Blade Storage in Handle. Refill with blades 3619 or 3620. 15052



#### **HI-VIS UTILITY KNIFE**

CLASSIC KNIFE IN HIGHLY VISIBLE RED. Three position slider. Refill with Blades 3619 or 3620. 15053



#### **KNUCKLER KNIFE**

ERGONOMIC HANDLE WITH TOOL-LESS BLADE CHANGE. Blade Storage in Handle. Refill with blades 3619 or 3620. 15054



#### **FOLDING UTILITY KNIFE**

ONE BUTTON OPEN FOLDING KNIFE. ONE STEP BLADE RELEASE. METAL BELT CLIP. REFILL WITH BLADES 3619 OR 3620.

3600



#### **QUICK CHANGE NON-RETRACTABLE KNIFE**

EASY OPEN KNOB FOR BLADE CHANGE. BLADE STORAGE IN HANDLE. REFILL WITH BLADES 3619 OR 3620.

3601



#### **ROOFER'S KNIFE**

CONSTRUCTED OF PLATED STEEL CASING. Easy blade adjustment. Refill with blades 3610 3602



#### 2-IN-1 COMBINATION KNIFE

UTILITY BLADE LOCK WHEN IN USE. DURABLE SERRATED BLADE.
PUSH BUTTON BLADE CHANGE. REFILL WITH BLADES 3619 OR 3620.

3603



#### **ENGLISH HOOK BLADE**

5 BLADES

50 BLADES

3613

3614



#### **UTILITY BLADE** 92 TYPE

5 BLADES 50 BLADES

3619


3620

#### ROOFER'S BLADE

5 BLADES

## **JOBSITE EQUIPMENT**

**Tool Hooks** attach to your work belt and hold almost any tool, leaving your hands free.













TOOL HOOK-ORIGINAL

3630

The Original Tool Hook offers a simple and efficient way to carry tools around when you work.

**TOOL HOOK**-BIT TOTE

3631

The Bit Tote Tool Hook conveniently stores up to four 1" bit-tips or two 2" bits at your side. Press down on the dispense tab for easy bit retrieval.

TOOL HOOK-BUNGEE

3633

Made of aircraft grade aluminum, the flexible Bungee Tool Hook is engineered to securely hold a wide variety of tools.



# ACCESSORIES



## **CARABINERS & HOOKS**

Our *Carabiners and Hooks* are supremely durable. All gates are certified to withstand loads up to 3,600 lbs., are self-closing and self-locking, and can be opened with just one hand.



#### **DOUBLE-LOCKING CARABINER**

3.600 LBS. GATE STRENGTH.

STEEL CARABINER

01813-S-HS

**ALUMINUM CARABINER** 

01817





#### **DOUBLE-LOCKING STEEL SNAP HOOK**

STEEL SNAP HOOK. 3,600 LBS. GATE STRENGTH.

STEEL SNAP HOOK

01830

STEEL SWIVEL SNAP HOOK

01825



#### TRIPLE-LOCKING CARABINER

STEEL CAPTIVE EYE, CARABINER. 3.600 LBS. GATE STRENGTH. 01835



#### **DOUBLE-LOCKING REBAR HOOK**

STEEL REBAR HOOK. 3,600 LBS. GATE STRENGTH. 01823



#### **DOUBLE-LOCKING POMPIER HOOK**

STEEL POMPIER HOOK. 3.600 LBS. GATE STRENGTH.

## **BAGS & TOOL LANYARDS**

The *UltraSack Backpack* is a premium carry/storage bag that keeps your equipment free from damage caused by dirt, corrosives, or UV rays. Its backpack-style design helps maintain compliance when climbing or working from ladders by keeping both hands free.







### ULTRASACK

DURABLE BLACK DUFFLE BACKPACK.

SMALL-CANVAS 00768

LARGE-CANVAS 00763

EXTRA LARGE-CANVAS 00771

LARGE-VINYL 00766



#### TOOL LANYARD

LIGHTWEIGHT TOOL LANYARD CERTIFIED TO CARRY 10 LBS. HELPS REDUCE FALLING OBJECT RELATED INJURIES.

MINI TWIST LOCKING CARABINER	10725
MINI CARABINER	10726



Part # SOS-BACKPACK

SOS BACKPACK	
<b>DURABLE CANVAS</b>	<b>EQUIPMENT BAG.</b>

SOS-BACKPACK

NYLON	I SPORT	BAG
-------	---------	-----

LIGHTWEIGHT NYLON EQUIPMENT STORAGE BAG.

00765

**GUARDIAN PROMO BAG** 

## THE FUTURE IS NOW!

Be at the forefront of construction technology with RFID.

If you've ever felt like pen and paper documentation is time consuming and error-prone, Guardian's G-Track Radio Frequency Identifier (RFID) is for you.

G-Track RFID technology makes inspections, regular maintenance, and inventory a breeze. And, upon your request, Guardian supplies G-Track RFID Tags free of charge as an accessory for all of our products.

G-Track RFID Tags are available in adhesive, screw-on, or split ring models that readily attach to any Guardian product.

Our G-Track RFID Tags are compatible with Havoc SUPERTRACK CT equipment and safety management software.

For more information on Havoc and SUPERTRACK CT, visit:

www.havocllc.com/rfid/software/



#### **RFID SYSTEM TAGS** (RADIO FREQUENCY IDENTIFICATION)

#### **RIGID PVC RFID TAG**

1" DIAMETER BY .070" MOUNTS ON METAL WITH ADHESIVE. 25 TAGS 72003

100 TAGS 72004

## Part #72011

Part #72005



Part #72009

#### ABS RFID TAG

1.2" DIAMETER BY .175" CENTER MOUNT HOLE FOR #8 SCREW. 25 TAGS

72005

100 TAGS 72006 ABS RFID HANG TAG

1" DIAMETER SPLIT RING. 1.3" X 1.6" X. 16"

25 TAGS

72009

100 TAGS 72010

CENTER MOUNT HOLE FOR #8 SCREW.

25 TAGS

72007

100 TAGS

72008

#### FLEXIBLE RFID STICKER

MOUNTS ON METAL WITH ADHESIVE.

25 TAGS

72011

100 TAGS



**SOLVING YOUR** PROBLEMS WITH

**CUSTOM SOLUTIONS** 



**ESG** is a division of Guardian Fall Protection that specializes in providing customized solutions and project engineering for clients through the design and implemtentation of complete fall protection and facade maintenance systems.

### WHAT WE DO

Design & Engineering



System Install



Testing & Certification (



Fall Hazard Analysis (2)







The FIRST Choice Training Catalog is now available!

## ONLINE COMPETENT PERSON TRAINING

■ NOW AVAILABLE

ONLINE COMPETENT PERSON TRAINING





This online fall protection course from Guardian Fall Protection will help prepare you to take on the role of the jobsite Competent Person. In this eight-hour course, everything ranging from product knowledge, inspection, planning, and more are addressed through the use of presentations, videos, and knowledge checks.



00101	53	00292	62	00600-	<b>SS</b> 60	00920	17	01291	45	01611	49
00103	53	00293	62	00601	60	00990	34	01295	43	01620	56
00104	53	00300	69	00610	60	01120	47	01296	43	01625	56
00106	54	00310	69	00645	59	01121	47	01297	43	01630	56
00125	54	00315	69	00648	59	01122	47	01298	43	01640	56
00127	54	00320	69	00651	59	01131	48	01300	103	01700	6
00130	54	00325	69	00652	59	01185	19	01310	102	01701	6
00134	54	00330	69	00653	59	01205	34	01315	102	01702	6
00135	54	00335	69	00654	59	01205	47	01320	102	01703	6
00142	55	00340	69	00656	59	01205	36	01323	102	01704	6
00160	66	00342	69	00657	59	01214	36	01324	102	01705	6
00161	66	00345	69	00658	59	01214	40	01325	102	01706	6
00162	66	00348	69	00668	59	01215	40	01326	102	01750	7
00163	66	00349	69	00669	59	01216	40	01327	102	01751	7
00164	66	00352	69	00680	59	01217	40	01328	102	01752	7
00200	75	00352	73	00690	59	01218	40	01330	101	01753	7
00205	75	00352	92	00691	59	01220	40	01335	101	01754	7
00215	55	00358	69	00710	73	01221	40	01340	101	01755	7
00230	64	00358	73	00711	73	01230	40	01345	101	01803	18
00232	62	00358	94	00720	109	01231	40	01346	101	01813-	<b>S-HS</b> 148
00234	62	00359	69	00725	109	01240	48	01350	101	01817	148
00235	64	00360	59	00730	109	01241	48	01360	101	01823	148
00236	64	00365	62	00735	109	01242	48	01365	101	01825	148
00237	62	00370	59	00740	109	01243	48	01400	96	01830	148
00238	62	00371	61	00745	109	01245	48	01400	98	01835	148
00239	62	00372	61	00761	149	01246	48	01401	98	01850	148
00241	62	00373	61	00763	149	01250	44	01410	98	01860	63
00242	62	00374	61	00765	149	01251	44	01500	103	2000	134
00243	62	00380	61	00766	149	01255	44	01503	103	02001	19
00244	62	00420	73	00768	149	01260	44	01507	102	2002	134
00245	34	00432	73	00771	149	01261	44	01510	102	2004	134
00250	67	00455	72	00800	108	01265	44	01511	102	2008	134
00251	62	00482	74	00805	108	01266	44	01520	102	2009	134
00255	68	00484	74	00810	108	01270	44	01600	49	2013	134
00260	76	00500	72	00815	108	01271	44	01603	49	2034	136
00271	69	00510	72	00870	108	01280	36	01605	49	2035	136
00278	62	00515	72	00875	108	01285	36	01608	49	2036	136
00281	64	00516	63	00900	17	01289	45	01609	49	2044	136
00288	62	00600	60	00905	17	01290	45	01610	49	2045	136



02105	16	02245	16	2562	144	3601	145	10428	57	10726	149	
02110	16	2300	136	2563	144	3602	145	10430	57	10733	18	
02115	16	2301	136	2570	144	3603	145	10431	57	10785	56	
02120	16	02305	16	2571	144	3610	145	10432	57	10786	56	
02125	16	02315	16	2572	144	3613	145	10440	57	10787	56	
02130	16	02325	16	2573	144	3614	145	10441	57	10788	56	
02135	16	02335	16	02600	16	3619	145	10442	57	10790	56	
02140	16	02345	16	2601	141	3620	145	10450	57	10791	56	
02145	16	02405	16	2602	141	3630	145	10451	57	10792	56	
02150	17	02415	16	2605	141	3631	145	10452	57	10793	56	
02151	17	2420	115	02610	16	3633	145	10460	57	10794	56	
02152	17	2422	115	2610	141	04625	97	10461	57	10795	56	
02153	17	02425	16	02620	16	04628	97	10462	57	10797	56	
02154	17	2430	115	2620	141	04630	97	10470	57	10798	112	
02155	17	2432	115	02630	16	04634	96	10471	57	10800	112	
02156	17	02435	16	02640	16	04638	97	10472	57	10804	112	
02157	17	02445	16	2688	141	04639	97	10560	71	10808	114	
02158	17	2470	114	02700	16	04640	97	10561	71	10819	125	
02159	17	2474	114	02710	16	04700	94	10562	71	10825	115	
02160	17	2475	114	02720	16	04701	94	10563	71	10826	115	
02161	17	2477	114	02730	16	04702	94	10564	71	10827	115	
02162	17	2480	115	02740	16	04710	94	10565	71	10829	125	
02163	17	2481	115	3000	134	04725	94	10566	71	10830	19	
02164	17	02500	16	3006	133	04726	94	10568	71	10834	19	
02200	16	2500	142	03010	16	04727	94	10577	71	10842	19	
2200	135	2501	143	3012	133	04810	104	10600	67	10845	19	
2201	135	2502	143	3018	133	04820	104	10645	59	10900	29	
2204	135	2503	143	03020	16	04830	104	10651	59	10900-	AR	29
02205	16	2504	143	3024	133	10400	57	10652	59	10901	29	
2206	136	2505	143	03030	16	10401	57	10655	59	10909	29	
02210	16	02510	16	03040	16	10402	57	10681	59	10910	29	
2210	136	2510	142	3500	142	10410	57	10683	59	10912	29	
2211	136	02520	16	3501	143	10411	57	10685	60	10915	29	
02215	16	2525	142	3502	143	10412	57	10705	58	10917	31	
02220	16	2526	142	3503	143	10420	57	10710	58	10918	31	
02225	16	02530	16	3504	143	10421	57	10715	58	10920	30	
02230	16	02540	16	3505	143	10422	57	10717	58	10922	30	
02235	16	2560	144	3508	143	10426	57	10720	58	10925	30	
02240	16	2561	144	3600	145	10427	57	10725	149	10927	30	
ULLTU	10	2001	144	0000	140	10727	07	10720	140	10327	00	



10928	30	11041	9	11338	101	15105	82	20001	124	21063	15
10930	29	11042	9	11520	42	15110	82	20004	124	21064	15
10933	29	11160	8	11750	45	15111	82	20074	101	21065	15
10936	29	11161	8	11760	45	15112	82	20077	101	21066	15
10937	31	11162	8	11855	45	15158	90	20078	101	21067	15
10938	31	11163	8	11865	45	15159	90	20079	101	21077	14
10950	33	11164	8	11900	43	15160	80	20080	101	21078	14
10967	27	11165	8	11901	43	15161	84	20091	46	21081	14
10968	27	11166	8	11902	43	15162	84	20230	19	21082	15
10974	32	11167	8	11903	44	15163	84	20231	19	21083	15
10979	27	11169	8	15004	77	15167	84	20232	19	21149	19
10980	27	11170	9	15021	98	15170	85	20233	19	21150	19
10981	32	11171	9	15022	124	15171	85	21029	15	21215	41
10983	123	11172	9	15023	124	15173	86	21030	15	21300	39
11020	25	11173	9	15025	123	15175	86	21031	15	21301	39
11056	25	11174	9	15026	91	15176	76	21032	15	21302	39
11058	24	11177	9	15027	123	15178	81	21033	15	21303	39
11058	32	11185	8	15028	123	15180	81	21034	15	21310	39
11059	24	11200	41	15030	123	15181	80	21035	15	30800	96
11070	26	11201	41	15031	77	15182	80	21036	15	30801	76
11071	26	11202	41	15038	87	15183	80	21041	14	30812	96
11072	26	11203	41	15039	87	15181-	<b>G</b> 80	21042	14	31120	8
11073	26	11260	41	15040	58	15182-	<b>G</b> 80	21043	14	42000	33
11074	26	11261	41	15044	98	15183-	<b>G</b> 80	21044	14	42001	33
11075	26	11321	102	15045	98	15184	81	21045	14	42002	33
11076	26	11322	102	15046	124	15185	81	21046	14	42003	33
11077	26	11323	102	15047	124	15186	81	21047	14	42004	33
11080	24	11324	102	15050	123	15188	91	21048	14	42005	33
11081	24	11325	102	15051	145	15189	80	21052	14	42006	33
11082	24	11326	102	15052		15190	80	21053	14	42008	33
11083	24	11327	102		145	15191	80	21054	14	42009	27
11084	24	11329	101	15054	145	15192	75	21055	14	42010	27
11085	24	11330	101	15070	98	15193	75	21056	14	42011	27
11086	24	11331	101	15071	98		78	21057	14	42012	27
11087	24	11332	101	15072	98	15202-			14	53027	126
11088	25	11333	101	15073	98		87	21059	14	53028	126
11089	25	11334	101	15074	98	15227	87	21060	15	53029	126
11090	25	11335	101	15075	98	15231	87	21061	15	53030	126
11140	9	11337	101	15104	114	15500	86	21062	15	53031	129

## **INDEX**

53032	127	<b>70001</b> 118	<b>482161</b> 11
53033	127	<b>70002</b> 118	<b>482162</b> 11
53034	128	<b>70005</b> 118	<b>482360</b> 11
53035	128	<b>70008</b> 118	<b>482361</b> 11
53036	128	<b>70009</b> 118	<b>482362</b> 11
53037	128	<b>70010</b> 118	<b>482460</b> 11
53038	129	<b>70014</b> 118	<b>482461</b> 11
53039	130	<b>70015</b> 118	<b>482462</b> 11
53221	67	<b>70024</b> 120	<b>493060</b> 12
61027	91	<b>70025</b> 120	<b>493060C</b> 11
61029	90	<b>72003</b> 150	<b>493061</b> 12
61074	88	<b>72004</b> 150	493061C 11
61075	88	<b>72004</b> 150 <b>72005</b> 150	<b>493062</b> 12
61076			493062C 11
	88		
61085	119	<b>72007</b> 150	<b>493160</b> 12
61086	119	<b>72008 1</b> 50	<b>493160C</b> 11
61087	119	<b>72009</b> 150	<b>493161</b> 12
61088	119	<b>72010</b> 150	. <b>493161C</b> 11
61089	119	<b>72011</b> 150	<b>493162</b> 12
61090	119	<b>72012</b> 150	<b>493162C</b> 11
61091	119	<b>181080</b> 13	<b>493260</b> 12
61092	119	<b>181081</b> 13	<b>493260C</b> 11
61093	119	<b>181082</b> 13	<b>493261</b> 12
61094	119	<b>182080</b> 13	<b>493261C</b> 11
61095	119	<b>182081</b> 13	<b>493262</b> 12
61128	89	<b>182082</b> 13	<b>493262C</b> 11
61129	89	<b>193190</b> 13	<b>493360</b> 12
61133	88	<b>193191</b> 13	<b>493360C</b> 11
61135	88	<b>193192</b> 13	<b>493361</b> 12
61136	88	<b>481160</b> 11	. <b>493361C</b> 11
61140	90	<b>481161</b> 11	<b>493362</b> 12
61141	90	<b>481162</b> 11	<b>493362C</b> 11
61142	89	<b>481360</b> 11	
61143	89	<b>481361</b> 11	
61144	89	<b>481362</b> 11	
61146	89	<b>481460</b> 11	
61148	89	<b>481461</b> 11	
61149	89	<b>481462</b> 11	
61200	119	<b>482160</b> 11	
	. 10		

<b>TS27</b>	138	
TS35	138	
RS12	139	
RS15	139	
DC9	139	
DC9-US	139	
DH1	139	
<b>QS40</b>	140	
QS50	140	
QS55	140	
QS52	140	
QS51	140	
QS65	140	
SOS-BACK	(PACK	149
TT24	138	
NPH-31	17	
NPH-30	17	



#### WARRANTY

Guardian Fall Protection (henceforth referred to as GFP) expressly warrants to the purchaser that all GFP products are free from defect in material and workmanship at the time of shipment. This warranty only covers defects in material and workmanship (those resulting from product design and/or manufacture); it does not cover conditions resulting from normal wear and tear, neglect, abuse, or accident. GFP's obligation under this warranty applies for the lifetime of the product, and is limited to the replacement of product only. This warranty is not transferable to any other GFP service, and does not apply to product that is resold after having been put into service. No other person or firm is authorized to assume or assign for GFP any other liability in connection with the sale or use of GFP products. Furthermore, this warranty is void if any product is changed or altered in any way, or if the product is used in a manner other than for which it is intended. All returns to GFP must have a return authorization that is obtained from the GFP Customer Service department. All returns must be shipped prepaid. Contact the Customer Service Department at 1-800-466-6385.

#### THE GUARDIAN PROMISE

At Guardian, our number one priority is keeping you safe. We promise that, if you fall using our equipment, we will replace the equipment involved in the fall free of charge.

Should you experience a fall, immediately remove the effected product(s) from service and contact our customer support team at 1-800-466-6385. They will help you coordinate return of the damage product and the shipment of your replacement.



## - OUR VISION -

TO ALWAYS BE THE MARKET'S FIRST CHOICE FOR FALL PROTECTION AND SAFETY PRODUCTS

### - OUR MISSION -

TO PROVIDE INNOVATIVE SOLUTIONS AND EDUCATE THE COMMUNITY TO PROTECT THE WORKFORCE AND SAVE LIVES

Distributed by Engineered Fall Protection Sales@EngineeredFallProtection.com www.EngineeredFallProtection.com Tel: (314) 492-4422