

Stay safe and be free

TUFF BUILT

PRODUCTS INC.

Exosphere Anchor Systems Customizable Fall Protection



Features

- Lightweight
- Easy, fast setup time
- Energy absorbing design



This is how it's done now.



Revolutionary
Approach To Fall Protection!

Faster productivity and 100% safer with an

Exosphere Anchor System

Setup time 2 to 10 minutes



This is how it should be done!

Build your Exosphere

Part # Description

70706	24" Single 360° rail rotation
70707	54" Single 360° rotation
70693	10" Triple 360° rotation
70704	94" Single extended 360°/180° rotation
70623	94" Double extended 360°/180° rotation
70705	54" Quadruple 360°/180° rotation
70747	48" Double 360°/180° rotation

Part # Description

70611	14' four stage
70612	18' four stage
70613	24' four stage
70614	30' four stage
70615	38' four stage

Part # Description

70697	Permanent vertical
70698	Foldable manual
70699	Foldable hydraulic

Part # Description


70696	6,740 lbs, cube with concrete
70695	4,790 lbs, cube with concrete
70694	3,350 lbs, used with 70691 & 70501 only

Part # Description

70700	Winch
70701	Manual hydraulic (MH)
70702	110/ 220 hydraulic
70703	12v hydraulic (12VH)


Part # Description

70546	Stabilizer Base for concrete
70692	Stabilizer Base for soft terrain
70690	Leveling kit add on
70661	Transport Base for finished floor
70497	Heavy duty Trailer
70744	Heavy duty Trailer with non-marking tires
70501	Heavy duty 4x4 self propelled base
70691	Highway Trailer (D.O.T Approved)




Complete Packages

For Concrete Surfaces




Part #	Max. Height	Anchor points	Part # components
70710	14	2	70623, 70611, 70697, 70696, 70701(MH), 70546
70711	18	2	70623, 70612, 70697, 70696, 70701(MH), 70546
70712	24	2	70623, 70613, 70697, 70696, 70701(MH), 70546

For Soft Surfaces




Part #	Max. Height	Anchor points	Part # components
70716	24	2	70623, 70613, 70697, 70696, 70701(MH), 70692
70717	38	2	70623, 70615, 70697, 70696, 70701(MH), 70692

For Indoor: Push/pull




Part #	Max. Height	Anchor points	Part # components
70718	18	2	70623, 70612, 70697, 70696, 70701(MH), 70661
70719	24	2	70623, 70613, 70697, 70696, 70701(MH), 70661
70635	38	2	70623, 70615, 70697, 70696, 70701(MH), 70661

For Outdoor: Push/pull




Part #	Max. Height	Anchor points	Part # components
70721	24	2	70623, 70613, 70697, 70694, 70701(MH), 70497
70722	30	2	70623, 70614, 70697, 70694, 70701(MH), 70497
70723	38	2	70623, 70615, 70697, 70694, 70701(MH), 70497

For Highway Travel




Part #	Max. Height	Anchor points	Part # components
70724	24	2	70623, 70613, 70699, 70694, 70703(12VH), 70691
70725	30	2	70623, 70614, 70699, 70694, 70703(12VH), 70691
70726	38	2	70623, 70615, 70699, 70694, 70703(12VH), 70691

For Concrete Surfaces




Part #	Max. Height	Anchor points	Part # components
70727	14	3	70693, 70611, 70697, 70696, 70701(MH), 70546
70728	18	3	70693, 70612, 70697, 70696, 70701(MH), 70546
70729	24	3	70693, 70613, 70697, 70696, 70701(MH), 70546

For Soft Surfaces




Part #	Max. Height	Anchor points	Part # components
70733	24	3	70693, 70613, 70697, 70696, 70701(MH), 70692
70734	38	3	70693, 70615, 70697, 70696, 70701(MH), 70692

For Indoor: Push/pull




Part #	Max. Height	Anchor points	Part # components
70735	18	3	70693, 70612, 70697, 70696, 70701(MH), 70661
70736	24	3	70693, 70613, 70697, 70696, 70701(MH), 70661
70737	38	3	70693, 70615, 70697, 70696, 70701(MH), 70661

For Outdoor: Push/pull



Part #	Max. Height	Anchor points	Part # components
70738	24	3	70693, 70613, 70697, 70694, 70701(MH), 70497
70739	30	3	70693, 70614, 70697, 70694, 70701(MH), 70497
70740	38	3	70693, 70615, 70697, 70694, 70701(MH), 70497

For Highway Travel




Part #	Max. Height	Anchor points	Part # components
70741	24	3	70693, 70613, 70699, 70694, 70703(12VH), 70691
70742	30	3	70693, 70614, 70699, 70694, 70703(12VH), 70691
70743	38	3	70693, 70615, 70699, 70694, 70703(12VH), 70691

Note: Other complete packages available ~ Please contact our sales team for more information


Specifications

Highway Trailer
PT#70691




Weight (est) 2000.0 lbs (909.1 kgs)

Push/Pull outdoor heavy duty
PT#70491




Weight (est) 1700.0 lbs (772.7 kgs)

Push/Pull indoor heavy duty
PT#70661



Weight (est) 740.0 lbs (336.4 kgs)


Wide base for soft terrain
PT#70692



Weight (est) 598.0 lbs (271.8 kgs)


Specifications

Regular: for concrete
PT#70546




Weight (est) 550.0 lbs (250.0 kgs)

Leveling Kit
PT#70690




Weight (est) 447.0 lbs (203.2 kgs)

18' Mast
PT#70612



Weight (est) 184.0 lbs
(83.6 kgs)

24' Mast
PT#70613



Weight (est) 221.0 lbs
(100.5 kgs)

38' Mast
PT#70615



Weight (est) 312.0 lbs
(141.8 kgs)

Other Product Categories:

1. Winches & Accessories
2. Self Retracting Lifelines & Accessories
3. Tripods & Accessories
4. Hoists, Davits & Accessories
5. Portable Bases
6. Permanent Bases
7. Pole Hoists & Horizontal Entry Systems
8. Beam Clamps & Anchor Points
9. Mobile Stair Systems with Fall Protection
10. A-Frames & Quad-Frames
11. Mobile Horizontal Rail Systems
12. Portable Anchor Points & Restricted Space Davit Systems
13. Handrailing Systems & Accessories
14. Horizontal Rail & Trolley Systems
15. Rescue Systems & Accessories
16. Portable Fall Arrest Anchor Posts
17. Tuff-Step Access Systems & Accessories
18. Exosphere Customizable Portable Fall Protection Anchor Systems
19. Exosphere Highway Trailer Fall Protection Anchor System
20. Exosphere All Terrain 4x4 Fall Protection Anchor System
21. Custom Fabrication Engineering



Mailing Address:

122 Paquin Road
Winnipeg, Manitoba, Canada
R2J 3V4



Distributed by Engineered Fall Protection
sales@engineeredfallprotection.com
www.engineeredfallprotection.com
Tel: (314) 492-4422